

WEB FRAMES.				FORGINGS or CASTINGS.				RIVETING.			
WEB FRAMES, In Fore Body, No. and spacing				KEEL, Bar, depth and thickness				BUTTS.			
No. of Side Stringers				STEM, moulding and thickness				STRAIPS.			
WEB FRAMES, In E. & B. Space, No. and spacing				STERN-POST for Rudder do. do.				IF LAPPED.			
WEB FRAMES, In After Body, No. and spacing				RUDDER-A x D Table 22. Speed				PLATING.			
No. of Side Stringers				Main-Piece, diameter at head				AS IN SHIP.			
Size of Face Angles to Web-Frames				" " " at heel				PER RULE OR AS APPROVED.			
BRACKET PLATES to Stringers between Web-Frames, depth and thickness				RUDDER, how constructed				EDGES.			
				Thickness of Plates or Single Plate				Ordinary or Joggled?			
				Manufacturer's name or trade mark of the Iron or Steel (state process of manufacture of Steel) used for Frames, Floors, Beams, Keelsons, Tie and Stringer Plates, Plating, &c.?				Double or Triple and for what Length.			
				Plates, Plating, &c.?				RIVETS.			
				Has the Steel been tested as required by the Rules?				Diam.			
								Spacing or to center.			
								Breadth.			
								Thickness.			
								Length.			
								Diam.			
								Spacing or to center.			
								Breadth.			
								Thickness.			
								Length.			
								Diam.			
								Spacing or to center.			
								Breadth.			
								Thickness.			
								Length.			
								Diam.			
								Spacing or to center.			
								Breadth.			
								Thickness.			
								Length.			
								Diam.			
								Spacing or to center.			
								Breadth.			
								Thickness.			
								Length.			
								Diam.			
								Spacing or to center.			
								Breadth.			
								Thickness.			
								Length.			
								Diam.			
								Spacing or to center.			
								Breadth.			
								Thickness.			
								Length.			
								Diam.			
								Spacing or to center.			
								Breadth.			
								Thickness.			
								Length.			
								Diam.			
								Spacing or to center.			
								Breadth.			
								Thickness.			
								Length.			
								Diam.			
								Spacing or to center.			
								Breadth.			
								Thickness.			
								Length.			
								Diam.			
								Spacing or to center.			
								Breadth.			
								Thickness.			
								Length.			
								Diam.			
								Spacing or to center.			
								Breadth.			
								Thickness.			
								Length.			
								Diam.			
								Spacing or to center.			
								Breadth.			
								Thickness.			
								Length.			
								Diam.			
								Spacing or to center.			
								Breadth.			
								Thickness.			
								Length.			
								Diam.			
								Spacing or to center.			
								Breadth.			
								Thickness.			
								Length.			
								Diam.			
								Spacing or to center.			
								Breadth.			
								Thickness.			
								Length.			
								Diam.			
								Spacing or to center.			
								Breadth.			
								Thickness.			
								Length.			
								Diam.			
								Spacing or to center.			
								Breadth.			
								Thickness.			
								Length.			
								Diam.			
								Spacing or to center.			
								Breadth.			
								Thickness.			
								Length.			
								Diam.			
								Spacing or to center.			
								Breadth.			
								Thickness.			
								Length.			
								Diam.			
								Spacing or to center.			
								Breadth.			
								Thickness.			
								Length.			
								Diam.			
								Spacing or to center.			
								Breadth.			
								Thickness.			
								Length.			
								Diam.			
								Spacing or to center.			
								Breadth.			
								Thickness.			
								Length.			
								Diam.			
								Spacing or to center.			
								Breadth.			
								Thickness.			
								Length.			
								Diam.			
								Spacing or to center.			
								Breadth.			
								Thickness.			
								Length.			
								Diam.			
								Spacing or to center.			
								Breadth.			
								Thickness.			
								Length.			
								Diam.			
								Spacing or to center.			
								Breadth.			
								Thickness.			
								Length.			
								Diam.			
								Spacing or to center.			
								Breadth.			
								Thickness.			
								Length.			
								Diam.			
								Spacing or to center.			
								Breadth.			
								Thickness.			
								Length.			
								Diam.			
								Spacing or to center.			
								Breadth.			
								Thickness.			
								Length.			
								Diam.			
								Spacing or to center.			
								Breadth.			
								Thickness.			
								Length.			
								Diam.			
								Spacing or to center.			
								Breadth.			
								Thickness.			
								Length.			
								Diam.			
								Spacing or to center.			
								Breadth.			
								Thickness.			
								Length.			
								Diam.			
								Spacing or to center.			
								Breadth.			
								Thickness.			
								Length.			
								Diam.			
								Spacing or to center.			
								Breadth.			
								Thickness.			
								Length.			
								Diam.			
								Spacing or to center.			
								Breadth.			
								Thickness.			
								Length.			
								Diam.			
								Spacing or to center.			
								Breadth.			
								Thickness.			
								Length.			
								Diam.			
								Spacing or to center.			
								Breadth.			
								Thickness.			
								Length.			
								Diam.			
								Spacing or to center.			
								Breadth.			
								Thickness.			
								Length.			
								Diam.			
								Spacing or to center.			
								Breadth.			
								Thickness.			
								Length.			
								Diam.			
								Spacing or to center.			
								Breadth.			
								Thickness.			
								Length.			
								Diam.			
								Spacing or to center.			
								Breadth.			
								Thickness.			
								Length.			
								Diam.			
								Spacing or to center.			
								Breadth.			
								Thickness.			
								Length.			
								Diam.			
								Spacing or to center.			
								Breadth.			
								Thickness.			
								Length.			
								Diam.			
								Spacing or to center.			
								Breadth.			
								Thickness.			
								Length.			
								Diam.			
								Spacing or to center.			
								Breadth.			
								Thickness.			
								Length.			
								Diam.			
								Spacing or to center.			
								Breadth.			
								Thickness.			
								Length.			
								Diam.			
								Spacing or to center.			
								Breadth.			
								Thickness.			
								Length.			
								Diam.			
								Spacing or to center.			
								Breadth.			
								Thickness.			
								Length.			
								Diam.			
								Spacing or to center.			
								Breadth.			
								Thickness.			
								Length.			
								Diam.			
								Spacing or to center.			
								Breadth.			
								Thickness.			
								Length.			
								Diam.			
								Spacing or to center.			
								Breadth.			
								Thickness.			
								Length.			
								Diam.			
								Spacing or to center.			
								Breadth.			
								Thickness.			
								Length.			
								Diam.			
								Spacing or to center.			
								Breadth.			
								Thickness.			
								Length.			
								Diam.			
								Spacing or to center.			
								Breadth.			
								Thickness.			
								Length.			
								Diam.			
								Spacing or to center.			
								Breadth.			
								Thickness.			
								Length.			
								Diam.			
								Spacing or to center.			
								Breadth.			
								Thickness.			
								Length.			
								Diam.			
								Spacing or to center.			
								Breadth.			
								Thickness.			
								Length.			
								Diam.			
								Spacing or to center.			
								Breadth.			
								Thickness.			
								Length.			
								Diam.			
								Spacing or to center.			
								Breadth.			
								Thickness.			
								Length.			
								Diam.			
								Spacing or to center.			
								Breadth.			
								Thickness.			
								Length.			
								Diam.			
								Spacing or to center.			
								Breadth.			
								Thickness.			
								Length.			
								Diam.			
								Spacing or to center.			
								Breadth.			
								Thickness.			
								Length.			
								Diam.			
								Spacing or to center.			
								Breadth.			
								Thickness.			
								Length.			
								Diam.			
								Spacing or to center.			
								Breadth.			
								Thickness.			
								Length.			
								Diam.			
								Spacing or to center.			
								Breadth.			
								Thickness.			
								Length.			
								Diam.			
								Spacing or to center.			
								Breadth.			
								Thickness.			
								Length.			
								Diam.			
								Spacing or to center.			
								Breadth.			
								Thickness.			
								Length.			
								Diam.			
								Spacing or to center.			
								Breadth			

GENERAL REMARKS—(continued).

[Faint, mostly illegible handwritten notes in the upper section of the form.]

PARTICULARS FOR RECORD in the REGISTER BOOK.—Length of Poop 32.66 ft., R.Q.D. ft., Bridge 81.25 ft., Forecastle 31.96 ft. (in feet and tenths). When the Poop is joined to the B.D., this should be distinctly stated

No. and Material of Decks (if Iron or Steel) and whether wholly or partially covered with wood, and No. of tiers of Beams (this information is to be given as should appear in the Register Book) 2 decks steel

Official No. ; Signal Letters State if Machinery is fitted aft no

How are the surfaces preserved from oxidation? Inside Part cement & paint Outside Paint

PARTICULARS OF WATER BALLAST.—State whether the Double bottom is constructed on the cellular system or with girders on floors. Cellular system

Where Fitted.	*Length. Feet.	Water Capacity. Tons.	Where Fitted.	*Length. Feet.	Water Capacity. Tons.
Double bottom, aft,	<u>98</u>	<u>208</u>	Fore peak tank,		
Double bottom, under Engines and Boilers,	<u>38</u>	<u>125</u>	After peak tank,		
Double bottom, if under Engines only,	<u>✓</u>	<u>✓</u>	Deep tank, aft,		
Double bottom, if under Boilers only,	<u>✓</u>	<u>✓</u>	Deep tank, forward,		
Double bottom, forward,	<u>124</u>	<u>328</u>	Other tanks, if fitted,		
	Total capacity of double bottom	<u>661</u>	(If necessary, furnish further information by sketch.)		

* The wells are not to be included in the lengths of the tanks.

State whether the above have been tested as required by the Rules. yes

Order for Special Survey No. 5268

Date 3.7.1919

No. 327 in builder's yard.

DATES of Surveys held while building

1919 Jun 4 July 30 Sep 2-8-19-23 Oct 27 Nov 3-7-14-25-28 Dec 4-24-29 (1920) Jan 13-29 Feb 2-9-17-20-24 Mar 1 Apr 2-13-15-28 May 13-19 Jun 9-22-25 July 1-6-13 Aug 2-3-12-13 20-30 Sep 3-6-8 Oct 18-22

Total No. of Visits 47

Surveyor's Signature

George Vidal

Rpt. 4

These

Signal L

OR

1450

No., Date

Whether Foreign

Brit

Number of

Number of

Rigged

Stern

Build

Galleries

Head

Framework

vessel

Number of

Number of

and the

Total to quarter to bottom

No. of sets of Engines.

One

No. of Shafts.

One

Under Ton

Space or s

Turret or

Forecastle

Bridge spa

Poop or B

Side House

Deck Hou

Chart Hou

Spaces for

Section 7

1894

Excess of I

G

Deductions

R

NOTE 1.—The

D

NOTE 2.—The

Forecas

Bridge

Lu

Na

No. of Ow

Name, Res

Mr

St

W

Dated 2

(830) (62915)

OF THE

Date of Tes

Diameter of