

SECTION THRO' C OF BOILER.

BOILER TUBE HEATING SURFACE	5,275 SQ. FT.
SUPERHEATER	2,230 SQ. FT.
AIR HEATER	2,840 SQ. FT.
LOAD OF BOILER SAFETY VALVE	400 LBS PER SQ. INCH.

THIS DESIGN IS THE PROPERTY OF BABCOCK & WILCOX LIMITED AND IS ONLY ALLOWED TO BE USED BY EXPRESS PERMISSION AND LICENSE FROM BABCOCK & WILCOX LIMITED

BABCOCK & WILCOX LTD
MARINE DEPT
FARRINGTON ST. LONDON E.C.4

A. BOILER.
GENERAL ARRANGEMENT OF ONE BABCOCK & WILCOX MARINE BOILER FITTED WITH SUPERHEATER, & AIR HEATER, OIL FIRED.

SCALE 1" = 1 FOOT.

6/1266
DR. NO. 5616/4 S
DATE 10-7-30

BOX NO. 5

PLAN NO. 106

ARKADIA

WK 1083


Messrs Babcock & Wilcox Ltd

Job No. 6/1266

General Arrangement

Draw No. 5616/48
Empire State

GLASGOW REPORT No. 50997



NO. 4-8

© 2021

W1057-011061-0083

Lloyd's Register
Foundation

QSS. "MONARCH OF BERMUDA"

NEWCASTLE ON TYNE.

Report No. 87699



8800 - 190110 - 750110

© 2021
011057-011061-0083



Royal Society of Painter's Markers
Foundation