

Sun Shipbuilding &amp; D.D.Co. Chester P.A.

Yard No. 574

1

X

Sister vessel to s.s. "SOVAC PEGASUS" etc.

Sent to Chief Surveyors  
GB

Received from Chief Surveyors

25 MAY 1950

VESSEL'S NAME s.s. Tanker "SOVAC COMET" \* REPORT Phl. No. 9412

For the CHIEF SHIP SURVEYOR and ~~CHIEF ENGINEER SURVEYOR~~

In cases which have to be submitted to the Classing Committee "the endorsement to contain a succinct summary of any repairs that have been required and to show the cause or causes of such repairs, and also to bring out clearly any exceptional features in connection with the case so that the Classing Committee may have all the salient points presented in the endorsement."— (Extract from Sub-Committee's Report, 24/5/92.)

Nature of Survey First Entry

When due

Two longitudinal bulkheads are fitted.

Crack arresters are introduced in the structure as follows :-

Shell Plating :- The seams of flat keel, upper and lower turn of the bilge, also at the lower edge of the sheerstrake and double riveted.

Deck Plating :- A double riveted seam (p & s) at about 3'-0" outside the longitudinal bulkheads; and at the centre line a narrow plate 19½" wide is fitted with the deck plating double riveted to same.

A riveted stringer angle is also fitted.

LOCAL "Carrying Petroleum in bulk" "Longitudinal Framing"  
"Fitted for oil fuel 1.50, FP above 150°F"

1 Dk 2nd Dk clear of oil tanks. "Elec. welded"  
Cell DBuE 103' 308t, DTf 42' 1380t, FPT 414t, APT 152t.  
FK, 16BH, pt Asp.  
P 129' B 39' F 84'


Mch'y Aft

O.L. 628'

ESD

Radar

"nf"  
2"16"



E.H.D.

19.4.50

6/11/50



© 2020

Lloyd's Register  
Foundation

011099-01109-0118