

DISCLOSED

COPY

LLOYD'S REGISTER OF SHIPPING

71, Fenchurch Street, London, E.C.3

Telegraphic (Inland: Committee, London, Telex
Address (Overseas: Committee, London, E.C.3

Telephone: ROYal 9166
Telex No.: 24305

6th June, 1963

C
DNS/RW

Dear Sirs,

CLASSING LETTER

17676 "LABUAN BAY". As recommended.

I shall be glad if you will inform the Owners that, as a result of the General Examination now carried out, the Committee have granted a postponement of the completion of the Special Survey until October, 1963, which is regarded as a permissible concession within the Society's Rules.

The Owners should also be informed that the Committee expect definite arrangements to be made to complete the survey, in all respects, before expiration of the period now agreed and they should let us know, in due course, what arrangements have been made to have the Special Survey completed.

It is concluded that the size and type of cable, also fuses, in connection with the additional Generator set now installed, are in accordance with the Rules.

I shall be glad if you will forward a further copy of your Certificate No. A/C No.6018, as this does not appear to have been received in this Office.



© 2021

/cont...
Lloyd's Register
Foundation 1/2

011227-011234-0307

17646 "TJILUWAH". As recommended.

I shall be glad if you will request the Owners to furnish an up to date General Arrangement or Capacity Plan for record purposes in this Office.

17701 "LYCAON". As recommended, except that a notation of ABS 1,63 had already been assigned.

Exhaust Gas Economiser Survey 1,63 is, however, being added to the entry in the S.R.L. Appendix.

Yours faithfully,

pro Clerk to the
Classification Committee

The Surveyors,
HONG KONG



© 2021

Lloyd's Register
Foundation

011227-011234-0307^{2/2}