

Do. of Deck 76 4FT PERK.	288.40	Depth, in middle of length from top of keel to top of upper deck beams at side.....	21.75	Built at Bill-Lucas-on-
Q.Dk.	49.83	Transverse Number.....	64.75	When built 1916
Bridge House	37.59	Length on deck from fore part of stem to after part of	321.	Launched
Forecastle	16.24			Wood, Skinner
Houses on Dk				Steam Ship

Steel Screw Steamers No. 196 & 197 proposed to be built by Messrs. Wood, Skinner & Co. with a view to class 100A1. Owners - The Burnett Steamship Co.

Rule Dimensions ; 321 x 43 x 21.75 Upper Deck

Scantling Numbers ; 64.75 & 20784

Proportions ; Length = 14.75 Depths to Upper Deck  
12.33 Depths to Raised Quarter Dk.

Midship section, profile, decks, fore and after peaks, scarphing of decks, rudder, hatch webs in lieu of fore and afters submitted by the Builders direct.

For approval of arrangement of bulkheads see separate endorsement.

It is submitted that provided

compliance

the vessels will be worthy to be classed 100A1, subject to a notation being made in the Register Book in regard to the arrangement of bulkheads.

1. 248.12-14

Ans'd 12.

4 plans

pe. two

C.F.  
12.12.14.

Q.15  
B.C.P.



© 2020

Lloyd's Register  
Foundation

Spacing .....	6 1/2	3	44	6 1/2	3	44	Deck, Material and thickness	Steel	30 1/2 33 1/2
BEAMS, Bridge Deck, Angle, Bulb Angle, Plate, } Toe Bulb, or Channel.....							Forecastle Deck Stringer Plate, b'dth & th'kns		30
" Angles on upper edge							" Angle on ditto.....		3 x 3