

ed by Chief Engineer Surveyor.....

Received from Chief Engineer Surveyor.....

P/S NAME "OMUROSAN MARU" REPORT Kob No. 1760

remarks of the Chief Engineer Surveyor are desired on this case for the consideration of the Classing Committee.

("The endorsement to contain a succinct summary of any repairs that have been required and to show the cause or causes of such repairs, and also to bring out clearly any exceptional features in connection with the case, so that the Classing Committee may have all the salient points presented in the endorsement."—Extract from Sub-Committee's Report, 24/5/92.)

Type of Engine Oil Engine 2SCSA

7 cylinders 29 $\frac{1}{8}$ " - 63"

New MN 1640

~~If Boilers fitted with forced draught~~

Tail Shaft. If fitted with a continuous liner Yes

If fitted with an outside gland of approved type No

The torsional vibration characteristics of the main propelling machinery were approved in the Secretary's letter of 4.9.53. for a service speed of 115 RPM.

Similar calculations for the 110 KW generator sets were approved in the Secretary's letter of 24.8.53.

This vessel's machinery appears to have been built in accordance with the Rules and the approved plans, and it is submitted she is eligible to be classed ~~as~~ LMC 11,53

"Carrying Petroleum in Bulk"

1 DB (exhaust gas) 178 lb.

1 DB (WT) Primary 711 lb. Secondary 178 lb.

© 2021  
30.3.54.Lloyd's Register  
Foundation

011725-011736-0273