

## “RESCUE” TYPE .

**Nºs 242 · 3 · 4 · 5 · 6 · 7 · 8 · 9**

**: FOR THE :**

# :ADMIRALTY:

**DIMENSIONS** 135'-0"<sub>BR</sub> x 29'-0"<sub>MLD</sub> x 16'-0"<sub>MLD</sub>

SCALE  $\frac{1}{2} = 1$  FOOT

TO CLASS BRITISH CORPORATION B.S.\* FOR TOWING PURPOSES  
AND TO CLASS LLOYDS A.1. FOR TOWING PURPOSES

**• FERGUSON BROTHERS.**  
**(PORT - GLASGOW) LTD**  
**SHIPBUILDERS & ENGINEERS.**

EQUIPMENT

2	BOWER	ANCHORS	STOCKLESS	EACH	10 1/2 CWTs.
1	KEDGE	ANCHOR	EX	STOCK	1 3/4 CWTs
2	SALVAGE	ANCHORS	TO OWNERS	REQUIREMENTS	50 CWTs. EACH
120	FATHOMS	18	STUD	LINK	CHAIN CABLE
60	"	18	"	"	"
115	"	12	MANILLA	CORDAGE	CABLE LAID TOWING HAWSER
75	"	7 1/2	HEMP	TOWING	HAWSER.
120	"	9	MANILLA	HAWSER	
2-60	"	6	"	"	
90	"	5 1/2	"	"	
2-60	"	4 1/2	"	"	
100	"	5	"	"	
60	"	3 1/2	FLEXIBLE GALVANIZED	STEEL WIRE ROPE,	
			FITTED ON WIRE REEL	WITH SHANK	

SECTION THRO BOILER ROOM AT FRAME 37.

SECTION THRO' ENGINE ROOM AT FRAME 20.

SECTION THRO' FORECASTLE AT FRAME 60.



SINGLE SCREW TUG  
RESCUE TYPE  
HULL SECTIONS

<sup>S</sup>/<sub>1</sub> <sup>"</sup>/<sub>5</sub> M. Aristel

Vol. 83641

135FT RESCUE TUGS



© 2021  
SECTIONS

Lloyd's Register  
Foundation  
012501-012507-0047



Mr Scattlebury  
The Hut

Oulton Broad

Mr Lowestoft

---



© 2021

Lloyd's Register  
Foundation