

The scantlings as shown and amended are suitable for a summer draught measured from top of keel of 3.60 m

LONDON COPY

UITRUSTING		AFMETINGEN			
E.N. 9014, LETTER R				PIETRO	PEET
9002		TOTAAL GEN. KG.		55.225	181.18
3 STOK LOZE DOEGANKERS		2745 =		55.-	180.45
14 x 15 VASEN DANKMETING 1 1/2"	mm.	10670 -			
		LENGTE & Koning TOT Y.L.			
1 SLEEPDRAAD 90 VASEN : 3" 59. DR. G x 12.		" TUSSEN LOZENDEEN		3.150	30.02
3 LANDVASTEN 90 " (WV) 1 1/2" = G x 12		BREEDTE GROOTST NED. NAL.		3.650	11.98
		MOLTE TOT VOER-DEK 1/2 ZIDE (BOK.)		4.750	16.40
		1/2 VERN. DRK " " " "		5.770	18.94
		1/2 SHEET " " " "		7.010	11.84
		DEEGENB. ZANDERENK 1/2	3.60	7.010	11.84
		1/2 VERN. DRK 765	3.60	7.010	11.84
		1/2 SHEET " " " "			
		KLASSE : LLOYD REG. NO. 100 A.1.			
		VLAS : DELGISC			

Yard no.: 954


Yard: VAN DIEPEN

at: Waterhuizen

Title of Plan: Midship Section, P&D, Shell

Rotterdam letter:

012678-012685-0211½



© 2021


Lloyd's Register
Foundation

LONDON COPY

012678-012685-0211 1/2

0201 0316 1

RECORDS DEPT.
LONDON.




SOLVANT 1 ★

Midship Section Profile & Decks

SCHEEPS GEBR. VAN. DIEPEN.
WATERHUIZEN.

YARD. NO. 954.



© 2001

Lloyd's Register
Foundation

MIDSHIP SECTION, PROFILE & DECKS