

FREEBOARD VERIFICATION FORM FOR STEAMERS.

*When received in London Office*Port Glasgow.Vessel's Name M. V. "K O O L I N D A".

Official No. _____

No. in Reg. Book _____

Port of Registry (*For Foreign Vessels*) _____Iron or Steel Steel. State whether Classed by Lloyd's Register Contemplated.

Name of Owners _____

Date of Verification 18. 11. 26.

I have to report that the Freeboard from the centre of disc to the top of the statutory deck line, and the lines in connection therewith, as given below, assigned by the Committee to this vessel, have been correctly marked on the vessel's sides, in accordance with the printed instructions:—

From centre of disc to top of statutory deck line 9 ft. 9 ins.From centre of disc to top of statutory deck line } --- ft. --- ins.
at awning or part-awning deck . . . }Fresh Water line above centre of disc . . . 4½ ins.Indian Summer line above centre of disc . . . -- ins.Winter line below centre of disc . . . 3 ins.Winter North Atlantic line below centre of disc -- ins.Distance between the top of statutory deck line on vessel's side and the intersection of the continuation of upper side of ^(Superstructure) at ~~upper dk.~~ upper dk. 1¾ ins.cement on ~~wood~~ steel deck with the vessel's side } at awning or pt.-awning dk. -- ins.

NOTE.—It should be clearly shown whether the statutory deck line is set off from a wood or steel deck.

Maximum Summer Draught corresponding to the freeboard assigned as shown on the Builders' Displacement Scales:—

(Signed) GEO. WEBSTER. Surveyor.*(To be filled up in London Office.)*Statement No. _____ Date of Committee's Minute 6. 10. 26.

Particulars for Record in Register Book.	{	Moulded Depth . . .	<u>27</u> ft.	<u>6</u> ins.
		Freeboard . . .	<u>9</u> ft.	<u>9</u> ins.
		Corresponding Draught	<u>18</u> ft.	<u>2½</u> ins.

Freeboards compared and found correct by _____ Date _____

Is fee paid? _____

Form for Certificate _____

Instructions _____

Date _____

Certificate written _____

Noted for posting _____



© 2021

Lloyd's Register
Foundation