



Reference

R.—

Reclassification proposal not processed with 1962
LLOYD'S REGISTER OF SHIPPING

Please file in 1962
Rua da Candelaria 80, 6th Floor,

(Caixa Postal 4481), Rio de Janeiro

7th. April, 1962.

Telegrams: Surveyor, Rio de Janeiro

Telephone: 23.2523

Dear Sir,

With reference to previous correspondence concerning the M.S. "PETRONAVE I" we now enclose copies of letters and certificates dealing with the Drydocking and Donkey Boiler Survey of this ship which have been obtained from Porto Alegre. In this connection we have also enquired into the adjusting of the Donkey Boiler S.V.'s under steam and ascertained that they have been so adjusted to 100 lbs./sq. and remote controls and O.F. installation examined as per Rule.

We have also to report that the "CABO ORANGE" came under survey for D.B.S. on the 5th. instant but, although we again visited the ship on the 6th. instant also, your Surveyors were not satisfied that the preparation and cleaning of the boilers were adequate for inspection, whilst no mountings had been opened out. We have contacted the management and arrangements are in hand for these matters all to receive proper attention on the ship's return to this port in about 20 days' time for Rio Grande & Porto Alegre.

Opportunity is taken to advise you that the "PARANÁ" commenced her A.B.S. on the 6th. instant, the "SERGIPE" will do likewise on the 8th. instant, whilst the "ANCH" came under survey, today, for Drydocking and complete the A.B.S. Survey. Our reports will follow shortly.

The "ACRE", "FLORIANOPOLIS", "ARATU" & "GOIÂNIA" are programmed to follow for their drydockings, in a matter of days only, and other surveys and requirements will receive attention at the same time.

Regarding your letter of the 3rd. instant, which has just come to hand, we confirm that the "ITAPE" reclassification in the Society's Register Book can be cancelled. Similar conditions apply to the "ITABUNA", reference our reply to your Memo of the 23rd. March, 1962.

The Secretary,
LONDON.

Yours faithfully,

Q. Harvey

015102-015110-0041