

S. S. No 36.  
PRELIMINARY  
MIDSHIP SECTION.

SCALE 1/2" = 1 FOOT.

DIMENSIONS 220' B.P. x 35' M.O. x 16' M.D.

TO CLASS B.S.\* (BULK OIL CARRIER.)

TANKS TO BE TESTED TO A HEAD  
OF 5' 0" ABOVE TOP OF TRUNK.

STEM 6 1/2" x 17 1/2"

STERN FRAME TO BE SEPARATELY SUBMITTED

TRUNK DECK LONGS 6" x 3" x 36" B.A. No 1

TRUNK DECK 9' 0" x 3' 0" x 36" B.A. No 1

TRUNK DECK 7' 0" x 3' 0" x 36" B.A. No 1

TRUNK DECK 5' 0" x 3' 0" x 36" B.A. No 1

TRUNK DECK 3' 0" x 3' 0" x 36" B.A. No 1

TRUNK DECK 1' 0" x 3' 0" x 36" B.A. No 1

TRUNK DECK 0' 0" x 3' 0" x 36" B.A. No 1

TRUNK DECK 0' 0" x 3' 0" x 36" B.A. No 1

TRUNK DECK 0' 0" x 3' 0" x 36" B.A. No 1

TRUNK DECK 0' 0" x 3' 0" x 36" B.A. No 1

TRUNK DECK 0' 0" x 3' 0" x 36" B.A. No 1

TRUNK DECK 0' 0" x 3' 0" x 36" B.A. No 1

TRUNK DECK 0' 0" x 3' 0" x 36" B.A. No 1

TRUNK DECK 0' 0" x 3' 0" x 36" B.A. No 1

TRUNK DECK 0' 0" x 3' 0" x 36" B.A. No 1

TRUNK DECK 0' 0" x 3' 0" x 36" B.A. No 1

TRUNK DECK 0' 0" x 3' 0" x 36" B.A. No 1

TRUNK DECK 0' 0" x 3' 0" x 36" B.A. No 1

TRUNK DECK 0' 0" x 3' 0" x 36" B.A. No 1

TRUNK DECK 0' 0" x 3' 0" x 36" B.A. No 1

TRUNK DECK 0' 0" x 3' 0" x 36" B.A. No 1

TRUNK DECK 0' 0" x 3' 0" x 36" B.A. No 1

TRUNK DECK 0' 0" x 3' 0" x 36" B.A. No 1

TRUNK DECK 0' 0" x 3' 0" x 36" B.A. No 1

TRUNK DECK 0' 0" x 3' 0" x 36" B.A. No 1

TRUNK DECK 0' 0" x 3' 0" x 36" B.A. No 1

TRUNK DECK 0' 0" x 3' 0" x 36" B.A. No 1

TRUNK DECK 0' 0" x 3' 0" x 36" B.A. No 1

TRUNK DECK 0' 0" x 3' 0" x 36" B.A. No 1

TRUNK DECK 0' 0" x 3' 0" x 36" B.A. No 1

TRUNK DECK 0' 0" x 3' 0" x 36" B.A. No 1

TRUNK DECK 0' 0" x 3' 0" x 36" B.A. No 1

TRUNK DECK 0' 0" x 3' 0" x 36" B.A. No 1

TRUNK DECK 0' 0" x 3' 0" x 36" B.A. No 1

TRUNK DECK 0' 0" x 3' 0" x 36" B.A. No 1

TRUNK DECK 0' 0" x 3' 0" x 36" B.A. No 1

TRUNK DECK 0' 0" x 3' 0" x 36" B.A. No 1

TRUNK DECK 0' 0" x 3' 0" x 36" B.A. No 1

TRUNK DECK 0' 0" x 3' 0" x 36" B.A. No 1

TRUNK DECK 0' 0" x 3' 0" x 36" B.A. No 1

TRUNK DECK 0' 0" x 3' 0" x 36" B.A. No 1

TRUNK DECK 0' 0" x 3' 0" x 36" B.A. No 1

TRUNK DECK 0' 0" x 3' 0" x 36" B.A. No 1

TRUNK DECK 0' 0" x 3' 0" x 36" B.A. No 1

TRUNK DECK 0' 0" x 3' 0" x 36" B.A. No 1

TRUNK DECK 0' 0" x 3' 0" x 36" B.A. No 1

TRUNK DECK 0' 0" x 3' 0" x 36" B.A. No 1

TRUNK DECK 0' 0" x 3' 0" x 36" B.A. No 1

EQUIPMENT TONNAGE

UNDER DECK	220' x 35' x 16' x 72	=	887
FORECASTLE	25' x 35' x 75' x 75	=	1053
POOP	67' x 34' x 75' x 75	=	89
HOUSE ON POOP	58' x 34' x 75' x 75	=	55
TOTAL		=	1004

30 AUG 1933

Grade C.23.

2025 BRICKS

1019

Approved

29035

EQUIPMENT

3 BOWER ANCHORS EACH	2 1/2 CWTs	STOCKLESS	(COLLECTIVE WEIGHT 64 CWTs)
1 STREAM ANCHOR	7 1/4 CWTs	EX STOCK	
1 KEDGE ANCHOR	3 1/4 CWTs	EX STOCK	
75 FATHOMS	3 3/8"	STREAM WIRE ROPE	
90 FATHOMS	3"	TOWLINE WIRE ROPE	
90 FATHOMS	2 1/2"	HAWSER WIRE ROPE	
90 FATHOMS	2"	WARP WIRE ROPE	

CN. 16/10/44

220 x 35 x 16 x 75 = 923

95 x 35 x 75 x 5 = 125

125 x 18 x 4.5 x 5 = 51

58 x 34 x 7.5 x 37.5 = 55

1154

33 x 35 x 16 x 75 = 137

33 x 18 x 4.5 x 5 = 13

152

1154

1306



FLAT KEEL PLATE 41" x 58" x 46"  
OWNERS REQ. 75" THROUGHOUT.

SECTION AT TRANSVERSE B AND S

DETAIL OF BRACKET CONNECTIONS OF BOTTOM LONGITUDINALS AT BULKHEADS

30 AUG 1933





1  
Midship Section.  
Blythwood S.S. Co.  
No. 26.

T.C. 30.8.33.

2.9.33.

"BASSETHOUND"

220'



Spid. Midship Section

Blythwood S.B. Co. No 36.

0266



© 2021

Lloyd's Register  
Foundation