

(LLOYDS REGISTER.)

G. R. 130
Lloyds Register.

VESSELS OF 100 TONS AND UPWARDS.

These particulars are supplied by the Registrar General of Shipping and Seamen for the sole use of Lloyds Register of British and Foreign Shipping.

Special Letters (if any)

Official Number.	Name of Ship.	No., Date, and Port of Registry.
38,941.	" <i>Prefect.</i> "	61/1915 Grimsby.

Date, and Port of Previous Registry (if any)

Whether British or Foreign Built.	Whether a Sailing or Steam Ship; and if a Steam Ship how propelled.	Where Built.	When Built.	Name and Address of Builders.
British.	Steamship. Single Screw.	Selby.	1915.	Bochrame & Sons Ltd. Selby.

Number of Decks ...	<i>one.</i>	Length from fore part of stem, under the bowsprit, to the aft side of the head of the stern post ...	Feet.	Tenths
Number of Masts ...	<i>two</i>		135	3
Decked ...	<i>hatch.</i>	Length at quarter of depth from top of weather deck at side amidships to bottom of keel ...	23	5
Superstructure ...	<i>elliptical</i>		12	4
Number of Bulkheads ...	<i>four.</i>	Depth from top of beam amidships to top of keel ...	31	85.
Number of water ballast tanks, and their capacity in tons ...	<i>None.</i>			

PARTICULARS OF DISPLACEMENT.

Total to quarter the depth from weather deck at side amidships to bottom of keel ... Tons. Ditto per inch immersion at same depth ... Tons.

PARTICULARS OF PROPELLING ENGINES, &c. (if any).

No. of sets of engines.	Description of Engines.	Whether British or Foreign made.	When made.	Name and address of makers.	Reciprocating Engines.		Rotary Engines.	N. H. P. I. H. P. Speed of Ship.
					No. and Diameter of Cylinders in each set.	Length of Stroke.		
One	<i>Triple expansion inverted cylinder screw engines.</i>	Engines.	Engines.	Engines.	Three	13"	24"	84 500
No. of shafts.	Particulars of Boilers.	Boilers.	Boilers.	Boilers.	23"	37"		10 1/2 knots.

PARTICULARS OF TONNAGE.

GROSS TONNAGE.	No of Tons.	DEDUCTIONS ALLOWED.	No. of Tons.
Under Tonnage Deck ...	277.74	On account of space required for propelling power	134.61
Space or spaces between Decks ...		On account of spaces occupied by Seamen or Apprentices, and appropriated to their use, and kept free from goods or stores of every kind, not being the personal property of the Crew	
Forecastle ... <i>side house</i>	1.18	These spaces are the following, viz.:—	
Bridge space ...	16.23		
Deck Houses ...	1.11		
Chart House ...	6.08		
Spaces for machinery, and light, and air, under Section 78 (2) of the Merchant Shipping Act, 1894 ...		Deductions under Section 79 of the Merchant Shipping Act, 1894, and Section 54 of the Merchant Shipping Act, 1906, as follows:—	
Excess of Hatchways ...		Cubic Metres	9.08
Gross Tonnage ...	302.34	Boatwain's Store 3.00	
Deductions, as per Contra ...	143.69	Chart Space 6.08	
Registered Tonnage ...	158.65	Total ...	143.69.

NOTE 1.—The tonnage of the engine room spaces below the Upper Deck is 46.92 tons, and the tonnage of the total spaces framed in above the Upper Deck for propelling machinery and for light and air is 14.54 tons.

NOTE 2.—The undermentioned spaces above the Upper Deck are not included in the cubical contents forming the ship's register tonnage.

Open Forecastle 19.8 x 13.8 x 5.6 = 13.77

Less companion + side house 2.36

11.41

Name of Master Certificate of Service No. Competency No.

No. of Owners
Name, Residence, and Description of Managing Owner if there are more owners than one.

*The Anchor Steam Fishing Company Limited } Sixty-four (64) Shares.
of Fish Docks, Grimsby, County of Lincoln*

Manager.—William Somerville Letten.—Same address.

Dated *5th. November. 1915.*

(830) (61862) Wt. 28981/72 1000 11-12 W B & L (81762) 20349/8 2007 3-13

015338-015347-0286 Foundation



Working pressure by rules *215* Superheater or Steam chest; how connected to boiler ... Can the superheater ... Diam. of rivets ... Thickness of shell plates ... Material ... Description of longitudinal joint ... Thickness ...

15
16
16
16
er.
3
on.
tight
part
two
under
pumps
and
ejector
none
above
yes
Hull
7
Valves to
ar Yes
5
double
18 7/8
39
none
1/8
212
team space
5
5
rules 217
11.5
Depth an
8