

State dates of letters respecting this case 21<sup>st</sup> August 1886, 5<sup>th</sup> January 1887 & 21<sup>st</sup> Jan. 1887. from Secretary,

# PARTICULARS for RECORD OF DOUBLE BOTTOMS, &c., in LLOYD'S REGISTER.

No. of Report 3294 Port Belfast (Received at London Office, ..... 188.....)  
No. in Register Book 7 in sup. Date 1<sup>st</sup> March 1887

On the Iron Screw steamer "Harold"  
Double bottom, aft, length 42 and water capacity in tons 80. Double bottom, forward, length 33 and water capacity in tons 52

Double bottom, under engines and boilers, length  and water capacity in tons . If under Engines only, or Boilers only, state which

Double bottom, constructed on the cellular system, length  and water capacity in tons

Fore peak tank, water capacity in tons 40. After peak tank, water capacity in tons

Midship deep tank, length  and water capacity in tons . Other tanks, if fitted, length  and water capacity in tons

(If necessary, furnish further information by sketch.)

© 2019  
**James Maxton**  
Surveyor to Lloyd's Register of British and Foreign Shipping

1(000-4 12/82.)

BEL53-0384

State if one, two, or three vessels covered, or by ...  
How are the surfaces preserved from oxidation? Inside Portland Cement & paint Outside paint