

ch end 52 32 7 52 32 7
 AMES, Angle Iron 5 32 0 5 32 0
 and thickness of Floor Plate) 40 2 7/16 40 2
 half length amidships
 at the ends of vessel

Up. or Spar DK Sh rstrake, brdn & thicken ss... 17 1/4 18 11 18 3
 Butt Straps to outside plating, breadth & thickness
 Lengths of Plating
 Sh...

PARTICULARS for RECORD OF DOUBLE BOTTOMS, &c., in LLOYD'S REGISTER.

(Received at London Office.)

Date *Nov-26th 1889*

No. of Report *3638*

Port

Belfast

No. in Register Book

On the

S.S. Mount Lebanon

Double bottom, aft, length ☐ and water capacity in tons ☐

Double bottom, forward, length ☐

and water capacity in tons ☐

Double bottom, under engines and boilers, length ☒

and water capacity in tons ☒

If under Engines only, or Boilers only, state which ☐

Double bottom, constructed on the cellular system, length *248*

and water capacity in tons *566*

Fore peak tank, water capacity in tons ☒

After peak tank, water capacity in tons *30*

and water capacity in tons ☐

Midship deep tank, length ☒

and water capacity in tons ☐

Other tanks, if fitted, length ☒

The above have *all* been tested as required by the Rules.

James Curpin
 Surveyor to Lloyd's Register of British and Foreign Shipping.

REL 56-0209

(If necessary, furnish further information by sketch.)