

Single or double Angle Iron on Upper edge

PARTICULARS for RECORD OF DOUBLE BOTTOMS, &c., in LLOYD'S REGISTER.

(Received at London Office, _____ 189____.)

No. of Report 3726 Port Belfast Date July 8th 1890

No. in Register Book Sup^r 70 On the S.S. Plassey

Double bottom, aft, length and water capacity in tons Double bottom, forward, length and water capacity in tons

Double bottom, under engines and boilers, length and water capacity in tons If under Engines only, or Boilers only, state which

Double bottom, constructed on the cellular system, length 264 and water capacity in tons 345.

Fore peak tank, water capacity in tons After peak tank, water capacity in tons 48

Midship deep tank, length and water capacity in tons Other tanks, if fitted, length and water capacity in tons

The above have all been tested as required by the Rules.

James Turpin
Surveyor to Lloyd's Register of British and Foreign Shipping.

(If necessary, furnish further information by sketch.)

(T. & S.—250—27/2/90—Transfer ink.)

BEL 57-0083

| | | | | | | | |
|---------------------------|--------|-------|---|---|-------|---|---|
| EDGE STRINGER Angle Irons | Steel. | 6 1/2 | 4 | 9 | 6 1/2 | 4 | 9 |
|---------------------------|--------|-------|---|---|-------|---|---|

" Height up all to upper deck.
" How secured to sides of ship 1/2