

3 Decks.

# IRON OR STEEL STEAMER.

No. 4914

Statist Report is also sent on the Machinery of the Vessel

Date of completion of report Oct 20<sup>th</sup> 98 Port of Belfast Received at London Office MUN 24 Oct 1898

Survey held at Belfast Date, First Survey July 27<sup>th</sup> 1897 Last Survey Oct 19<sup>th</sup> 1898

In the Steel Screw Steamer 'Workman' Rig Schr. 4 masts

ONNAGE under Funnage Deck... THREE DECKED VESSEL.

Do. between Tonnage Dk. and 3rd and 4th Dk. CLASS 100 A

Total under Upper Dk. 5752.83

Do. of Poop 11.99 Half Breadth (moulded) 26.12

Do. of Bridge House 146.52 Depth from upper part of Keel to top of Upper Deck Beams 34.81

Do. of Forecastle 116.43 Girth of Half Midship Frame (as per Rule) 56.93

Do. of Houses on Dk. 16.37 deduct 7 feet 119.86

Do. of excess of Hatchways 11.14

Do. above Crown of Engine Room 11.14

Gross Tonnage 6112.61 1st Number 110.86

Less Crew Space 137.16 Length 447.96

Less above Crown of Engine Room 11.14 2nd Number 49660

TONNAGE FOR FEES 5967.28 Proportions—Breadth to Length 2.5

Less Engine Room 1957.00 Depth to Length—Upper Deck to top of Keel 12.87

Less Navigation Spaces 46.43 Main Deck ditto 16.92

Register Tonnage 3981.02 Destined Voyage New Orleans If Surveyed while Building, Afloat, or in Dry Dock while Build.

Master Wm Jackson Year of appointment 1898

Built at Belfast When built 1898 Launched June 4<sup>th</sup>

By whom built Workman Clark & Co (Lem) Owners J. & J. Harrison

Managers Wm Jackson Residence Liverpool

Port belonging to Liverpool

LENGTH on Deck as per Rule ...		Feet. 447	Inches. 112	BREADTH—Moulded ...		Feet. 52	Inches. 3	DEPTH top of Floor to Upper Deck Beams		Feet. 30	Inches. 43	Power of Horse Engines 585	No. of Decks with flat laid 2	No. of Tiers of Beams 2
Dimensions of Ship per Register, Length 440 breadth 52.5 depth 30.6 Moulded depth, ft. 33 ins. 8 1/2 To Upper Dk. Round up of Beam, Upper Dk. 12 1/4 ins.														
FRAMING.								FORGINGS or CASTINGS.						
FRAME, Angles, 7 E or L Bars for 1/2 length amidships								KEEL, Bar or Side Plates, depth and thickness 12 x 3 1/4						



