

Boilers Three single ended
No. of Certificate 14222 ✓ 14240 ✓ 14241 ✓ Can each boiler be worked separately *Yes* Area of fire grate in each boiler
safety valves to each boiler 2 - Direct Spring ✓ Area of each valve 9'62.2 ✓ Pressure to wh

(Received at London Office

19)

2135 Port

Glasgow

Date *23rd April* 19*18*

Boiler numbered as below to be made

We request that the

Harland & Wolff Ltd

by *John Brown & Co Ltd*

be Specially Surveyed while building.

We hereby engage to pay Special Survey Fees as follows, viz.:-

For boilers up to 200 Nominal Horse Power, one shilling per Horse Power. For boilers over 200 Nominal Horse Power, one shilling per Horse Power for the first 200 Horse Power and fourpence per Horse Power above 200. The Nominal Horse Power to be reckoned at 15 square feet of heating surface. No fee to be less than £2 2s.

MEM.—In exceptional cases an additional charge will be made according to the services performed, and in all cases where travelling expenses are incurred by the Surveyors in connexion with the above services, they are to be defrayed by the parties interested.

Boiler No. *528*
HLM

This request is made upon the terms of the Rules and Regulations of Lloyd's Register of Shipping, which provide that:—

While the Committee use their best endeavours to ensure that the functions of the Society are properly executed, it is to be understood that neither the Committee nor the Society are under any circumstances whatever to be held responsible for any inaccuracy in any report or certificate issued by the Society or its Surveyors, or in any entry in the Register Book or other publication of the Society, or for any error of judgment, default, or negligence of the Surveyors, or other Officers or Agents of the Society.

John Brown & Company, Limited.

Signature

Anderson


Assistant Secretary

To the Secretary,

Lloyd's Register of Shipping,

71, Fenchurch Street, London, E.C.

Clydebank



Thickness of shell plates — Material — Description of
holes — Pitch of rivets — Working pressure of shell by rules — Diameter of flue — Material of