

DUN114-0290(17)

CONTRACTORS TO BRITISH & FOREIGN GOVERNMENTS.

141

Mossend Iron & Steel Works.
Mossend 30th Aug 1871

Messrs Brown & Sams

on account of Mr Gourlay's Siding.

Bought of The Summerlee & Mossend Iron & Steel Co.,
Manufacturers of Steel Ship & Boiler Plates, Angles, Teds,
Bulls, Bull Tees, Tees and other sections,
for Ship, Bridge and Boiler making purposes.

No 143

Date of Order.	Mark.	No of Steel Bars.		Description.	Size.	Length	T	C	Qrs.	lbs.	Rate.	£	S	D
24/4/89	YB	15	2	Angle	3 x 3 x 1/20	4.2								
		16	2			4.3								
		17	2			4.6								
		18	2			4.8								
		19	2			4.9								
		20	2			5.0								
		21	2			5.3								
		22	2			5.7								
		23	2			5.10								
		24	2			6.1								
		25	2			6.5								
		26	2			6.9								
		101	2			8.9								
		105	2			8.6								
		107	2			8.2								
		109	2			4.11								
		111	2			4.4								
		113	2			4.4								
		115	2			4.0								
		116	2			6.9								
		117	2			6.5								
		118	2			6.1								
		119	2			5.9								
		120	2			5.6								
		121	2			5.3								
		122	2			4.9								
		123	2			4.6								
		124	2			4.1								
		125	2			3.9								
		125	2			22.0	1	0	0	14				
	A	1	20			45.0								
		2	20											
		3	14											
		4	4											
	BY	0	1			25.0								
		1	2			9.0								
		2	1											
		133												

DUN114 - 0290 (217)

30' Avg

Date of Order	Mark	No of Steel Bars	Description	Size	Length	T	C	Qrs	Lbs	Rate	E	S	D
20/1/89	12	2	Cur	3 x 25	10.0								
	4	2			25.0								
	5	2			16.0								
	6	2			25.0								
	7	2			16.0								
	9	2			25.0								
	10	2			16.0								
	11	2			25.0								
	12	2			16.0								
	13	2			25.0								
	14	2			16.0								
	15	2			25.0								
	16	2			16.0								
	17	2			25.0								
	18	2			16.0								
	19	2			25.0								
	20	2			16.0								
	21	2			25.0								
	22	2			16.0								
	23	2			25.0								
	24	2			16.0								
	25	2			25.0								
	26	2			16.0								
	27	2			25.0								
	28	2			16.0								
	29	2			25.0								
	30	2			16.0								
	31	2			25.0								
	32	2			16.0								
	217												
Forward					8	3	3						

© 2020
 Register
 Foundation

Date of Order	Mark	No of Steel Bars	Description	Size	Length	T	C	Qrs	Lbs	Rate	E	S	D
24/4/89	NY	217	Angle	Forged 3x3x120	4.10	8	3	3					
		32			14.10								
		33			8.4								
		34			22.4								
		35			8.4								
		36			14.6								
		37			9.1								
		38			22.2								
		39			9.4								
		40			14.4								
		41			9.0								
		42			21.10								
		43			10.1								
		44			14.0								
		45			10.4								
		46			21.6								
		47			12.8								
		48			13.11								
		49			11.1								
		50			21.4								
		51			11.5								
		52			13.9								
		53			11.8								
		54			13.6								
		55			12.2								
		56			21.0								
		57			12.6								
		58			13.4								
		59			12.8								
		60			20.10								
		61			12.10								
		62			13.3								
		63			13.1								
		64			20.9								
		65			13.3								
		66			13.2								
		67			13.4								
		68			20.8								
		69			13.4								
		70			13.1								
		71			13.8								
		72			20.6								
		73			13.5								
		74			13.0								
		75			13.10								
		76			20.4								
		77			14.0								
		311		Forged		8	3	3					

© 2020

Lloyd's Register

Education

Forged

DUN 114 - 0290 (317)

2 C 59

DUN114-0290(417)

Date of Order.	Mark.	No of Steel Bars.	Description.	Size.	Length	T.	C.	Qrs.	lbs.	Rate.	£	S.	D.
24/4/89	88	311	Angle	Forward	3 1/2 x 1/2	12.10				8 3 3.			
		2			14.2								
		4			20.3								
		2			14.5								
		4			12.8								
		2			14.4					8 3 3.			
		4			20.2								
		2			14.5								
		4			12.4								
		2			14.5								
		4			20.0								
		2			14.5								
		4			12.6								
		2			14.5								
		4			20.0								
		2			14.6								
		4			12.6								
		2			14.6								
		4			20.0								
		2			14.6								
		4			12.5								
		2			14.6								
		4			20.0								
		2			14.6								
		4			12.6								
		2			14.6								
		4			20.0								
		2			14.6								
		4			12.6								
		2			14.6								
		4			20.0								
		2			14.5								
		4			12.6								
		2			14.6								
		4			20.0								
		2			14.6								
		4			12.6								
		2			14.6								
		4			20.0								
		2			14.6								
		4			12.6								
		2			14.6								
		4			20.0								
		2			14.6								
		4			12.6								
		2			14.6								
		4			20.0								
		2			14.6								
		4			12.6								
		2			14.6								
		4			20.0								
		2			14.6								
		4			12.6								
		2			14.6								
		4			20.0								
		2			14.6								
		4			12.6								
		2			14.6								
		4			20.0								
		2			14.6								
		4			12.6								
		2			14.6								
		4			20.0								
		2			14.6								
		4			12.6								
		2			14.6								
		4			20.0								
		2			14.6								
		4			12.6								
		2			14.6								
		4			20.0								
		2			14.6								
		4			12.6								
		2			14.6								
		4			20.0								
		2			14.6								
		4			12.6								
		2			14.6								
		4			20.0								
		2			14.6								
		4			12.6								
		2			14.6								
		4			20.0								
		2			14.6								
		4			12.6								
		2			14.6								
		4			20.0								
		2			14.6								
		4			12.6								
		2			14.6								
		4			20.0								
		2			14.6								
		4			12.6								
		2			14.6								
		4			20.0								
		2			14.6								
		4			12.6								
		2			14.6								
		4			20.0								
		2			14.6								
		4			12.6								
		2			14.6								
		4			20.0								
		2			14.6								
		4			12.6								
		2			14.6								
		4			20.0								
		2			14.6								
		4			12.6								
		2			14.6								
		4			20.0								
		2			14.6								
		4			12.6								
		2			14.6								
		4			20.0								
		2			14.6								
		4			12.6								
		2			14.6								
		4			20.0								
		2			14.6								
		4			12.6								
		2			14.6								
		4			20.0								
		2			14.6								
		4			12.6								
		2			14.6								
		4			20.0								
		2			14.6								
		4			12.6								
		2			14.6								
		4			20.0								
		2			14.6								
		4			12.6								
		2			14.6								
		4			20.0								
		2			14.6								
		4			12.6								
		2			14.6								
		4			20.0								
		2			14.6								
		4			12.6								
		2			14.6								
		4			20.0								
		2			14.6								
		4			12.6								
		2			14.6								
		4			20.0								
		2			14.6								
		4			12.6								
		2			14.6								
		4			20.0								
		2			14.6								
		4			12.6								
		2			14.6								
		4			20.0								
		2			14.6								
		4			12.6								
		2			14.6								
		4			20.0								
		2			14.6								
		4			12.6								
		2			14.6								
		4			20.0								
		2			14.6								
		4			12.6								
		2			14.6								
		4			20.0								
		2			14.6								
		4			12.6								
		2			14.6								
		4			20.0								
		2			14.6								
		4			12.6								
		2			14.6								
		4			20.0								
		2			14.6								
		4			12.6	</							

Date of Order.	Mark.	No of Steel Bars.	Description.	Size.	Length	T	C	Qrs	Lbs	Rate.	E	S	D
24/24/4/89	81	2	Angle	3x3x1/20	13.1								
	82	2			13.9								
	83	2			20.10								
	84	2			13.4								
	85	2			13.3								
	86	2			13.5								
	87	2			21.2								
	88	2			13.3								
	89	2			13.5								
	90	2			13.0								
	91	2			21.3								
	92	2			12.11								
	93	2			13.8								
	94	2			12.9								
	95	2			21.6								
	96	2			12.6								
	97	2			13.10								
	98	2			12.4								
	99	2			21.3								
	100	2			12.0								
	101	2			14.1								
	102	2			11.11								
	103	2			21.6								
	104	2			11.8								
	105	2			14.3								
	106	2			11.6								
	107	2			21.8								
	108	2			11.3								
	109	2			14.4								
	110	2			11.0								
	111	2			21.10								
	112	2			10.9								
	113	2			11.0								
	114	2			10.6								
	115	2			22.0								
	116	2			10.2								
	117	2			15.0								
	118	2			10.0								
	119	2			22.2								
	120	2			9.6								
	121	2			9.3								
	122	2			11.11								
	123	2			22.4								
	124	2			9.0								
	125	2			15.3								
	126	2			8.9								
	127	2			22.6								
	128	2			8.3								
	129	2			8.3								
	130	2			8.3								
	131	2			8.3								
	132	2			8.3								
	133	2			8.3								
	134	2			8.3								
	135	2			8.3								
	136	2			8.3								
	137	2			8.3								
	138	2			8.3								
	139	2			8.3								
	140	2			8.3								
	141	2			8.3								
	142	2			8.3								
	143	2			8.3								
	144	2			8.3								
	145	2			8.3								
	146	2			8.3								
	147	2			8.3								
	148	2			8.3								
	149	2			8.3								
	150	2			8.3								
	151	2			8.3								
	152	2			8.3								
	153	2			8.3								
	154	2			8.3								
	155	2			8.3								
	156	2			8.3								
	157	2			8.3								
	158	2			8.3								
	159	2			8.3								
	160	2			8.3								
	161	2			8.3								
	162	2			8.3								
	163	2			8.3								
	164	2			8.3								
	165	2			8.3								
	166	2			8.3								
	167	2			8.3								
	168	2			8.3								
	169	2			8.3								
	170	2			8.3								
	171	2			8.3								
	172	2			8.3								
	173	2			8.3								
	174	2			8.3								
	175	2			8.3								
	176	2			8.3								
	177	2			8.3								
	178	2			8.3								
	179	2			8.3								
	180	2			8.3								
	181	2			8.3								
	182	2			8.3								
	183	2			8.3								
	184	2			8.3								
	185	2			8.3								
	186	2			8.3								
	187	2			8.3								
	188	2			8.3								
	189	2			8.3								
	190	2			8.3								
	191	2			8.3								
	192	2			8.3								
	193	2			8.3								
	194	2			8.3								
	195	2			8.3								
	196	2			8.3								
	197	2			8.3								
	198	2			8.3								
	199	2			8.3								
	200	2			8.3								
	201	2			8.3								
	202	2			8.3								
	203	2			8.3								
	204	2			8.3								
	205	2			8.3								
	206	2			8.3								
	207	2			8.3								
	208	2			8.3								
	209	2			8.3								
	210	2			8.3								
	211	2			8.3								
	212	2			8.3								
	213	2			8.3								
	214	2			8.3								
	215	2			8.3								
	216	2			8.3								
	217	2			8.3								
	218	2			8.3								
	219	2			8.3								
	220	2			8.3								
	221	2			8.3								
	222	2			8.3								
	223	2			8.3								
	224	2			8.3								
	225	2			8.3								
	226	2			8.3								
	227	2			8.3								
	228	2			8.3								
	229	2			8.3								
	230	2			8.3								
	231	2			8.3								
	232	2			8.3								
	233	2			8.3								
	234	2			8.3								
	235	2			8.3								
	236	2			8.3								
	237	2			8.3								
	238	2			8.3								
	239	2			8.3								
	240	2			8.3								
	241	2			8.3								
	242	2			8.3								
	243	2			8.3								
	244	2			8.3								
	245	2			8.3								
	246	2			8.3								
	247	2			8.3								
	248	2			8.3								
	249	2			8.3								

Date of Order	Mark	No of Steel Bars	Description	Size	Length	T	C	Qrs	lbs	Rate	L	S	D
24/4/19	124	529	Forward			8	3	3					
	104	2	Angle	3x3x1/20	8.6								
	105	2			15.6								
	.	2			8.2								
	106	2			22.6								
	.	2			4.10								
	107	2			15.6								
	108	2			4.6								
	.	2			22.6								
	109	2			4.3								
	.	2			15.4								
	110	2			4.0								
	.	2			22.10								
	111	2			6.6								
	.	2			16.0								
	112	2			6.3								
	.	2			23.0								
	113	2			5.11								
	.	2			16.0								
	114	2			5.6								
	.	2			23.0								
	115	2			5.2								
	.	2			16.0								
	116	2			4.10								
	.	2			23.2								
	117	2			4.6								
	.	2			30.10								
	118	2			4.3								
	.	2			23.0								
	119	2			3.10								
	.	2			30.10								
	120	2			3.6								
	.	2			23.6								
	121	2			3.0								
	.	2			30.10								
	122	2			2.10								
	.	2			23.6								
	123	2			2.6								
	.	2			30.6								
	124	2			2.2								
	.	2			23.6								
	125	2			1.9								
	.	2			32.0								
	126	2			31.0								
	127	2			23.0								
	.	2			30.0								
	128	2			22.3								
	129	2			25.9								
	130	2											
	131	2											
	623		Forward			8	3	3					

DUN114.-0290 (7/7)

[illegible]