

REPORT of SURVEY for REPAIRS, &c.

No. 11448

Date of writing Report 28 April 1892 When handed in at Local Office 28 April 1892 Port of Glasgow 29 APR 92

No. in Survey held at Bowling Date, First Survey 27 April 1892 Last Survey 27 April 1892

g. Book 67 on the Iron. Sc. Sr. "Saint Kevin" Mastey J. Gaidlish 91

TONNAGE: Built at Belfast By whom McShane Lewis & Co. When 1883 6

GROSS 450 Owners J. M. Inglis & W. Hewat Port belonging to Dublin

UNDER DK 429 Owners' Address (if not already recorded in Appendix to Register Book)

NET 245 Surveyed Afloat or in Dry Dock? Slipway Name of Dock Bowling Destined Voyage Coastwise

WB= DBa tons; f tons; uE&B tons; CellDB tons; FPT tons; APT tons; MT tons.

Last Survey, No. 3934 Port Belfast

CHARACTER. * for Special Survey, Date of last Survey and of Periodical Surveys.	Years Assigned now expired.	Machinery and Boiler Surveys (including date of N.B., if any).
+100A1		+LMC. 6.91
S.S. Bd. No. 91		
	6.91	

(Periodical Surveys, when held, must be reported in detail and seriatim in the terms of the Rules. State clearly the cause of Repairs, if any, and in detail, the nature and extent of Examinations and subsequent Repairs. Repairs on account of Damage (the cause of which must be stated) should be separated from Repairs due to other causes; and besides being detailed in the body of the report, should be summarised in the form shown below. Whenever the replacement of Anchors or Chains is reported, the particulars of weight or size and test of the articles should be clearly stated, and also the weight or size, &c., required by the Rules, together with the vessel's Equipment Letter, if any. State also the dates and initials of any letters respecting this case.

REPAIRS, OR EXAMINATION AS PER RULE, FOR Annual Survey
Vessel raised upon a slipway. Bottom cleaned and painted. Several stem rivets renewed

SUMMARY OF DAMAGE REPAIRS: Plates, Faired or Repaired; Frames, ditto. Plates, Renewed; Frames, ditto. Other Repairs.

PRESENT CONDITION OF THE			
Decks	good	Transoms, Pointers, & Crutches	good
Waterways	"	Timbers of Frame at the openings	good
Coamings	"	Ditto ditto at other places	"
Up'r Dk. Beams & Fastenings	"	Keelsons	"
Low'r Dk. Beams & Fastenings	"	Clamps, Shelves & Stringers	"
Plating	"	Salting	"
Planking	"	Ceiling	"
Treenails or Rivets	"	Cement or Asphalt (State which.)	Cement
Breasthooks & Stemson	good	Tanks (State if now tested.)	no
		Caulking of Bot'm, D'k, & Wat'rw'ys	"
		Copper, or Y.M. (State if on felt.)	✓
		When put on, Month	Year
		Rudder	good
		Windlass & Capstan	"
		Pumps	"
		Engine Room Skylights	"
		Coal Bunker, Open'gs, Lids, &c.	"
		Scuppers	"
		Cargo & Main H'tch'w'ys	"
		Hatches	good
		Boats	"
		Masts, Yards, &c.	"
		Condition, how ascertained	From deck
		Sails	good
		Anchors No. of	38, 15, 2K
		Cables, length	not seen
		(State if now ranged)	no
		Hawsers & Warps	good
		Standing & Running Rigging	"

General Observations, Opinion as to Class, Recommendation, &c.:

State clearly whether any and, if so, what alteration is suggested to be made in the existing classification and notification of the vessel in the Register Book consequent upon this survey, thus, for example:—"to remain as now classed in the Register Book without fresh record of Survey," "to remain as classed and to have record of survey, 9,91," or "to remain as classed and to have record of survey, 9,91, and the notations of ss No. 1-91 and ptND91, &c."

She is now in a good and efficient condition and eligible in my opinion to remain as classed, with record of survey. 6ly. 4.92

Office Fee (if chargeable) per Scale II, Sec. 27	£	✓	:	:	Fees applied for,
Survey Fee (per Section 28)	£	✓	:	:	18
Special Damage or Repair Fee (if any) (per Sec. 28.)	£	✓	:	:	Received by me,
Travelling Expenses (if chargeable)	£	✓	:	:	18
Second Surveyor's Fee (if any)	£	✓	:	:	

S. J. Heare
Surveyor to Lloyd's Register of British & Foreign Shipping.

*Is Certificate now required? Committee's Minute TUES. 3 MAY 1892 Character assigned 100A1

Form No. 2 for Repairs. - 20,000. - L.R.P.H. - 20,000. - Transfer Ink. - The Surveyors are requested not to write on or below the space for Committee's Minute.

N.B. - All alterations in the existing records should be underlined.



GLS165-0051