

8.4.96

on foremast 14 ft 10 in
1 ft 10 in from
top of mast

10 ft 10 in from top of mast
1 ft 10 in from top of mast
1 ft 10 in from top of mast

13 ft 4 in (100)

25 ft

11 ft 3 in (100)

18 ft 9 in

Mizzen Mast
Beams single
and
2 plates in the round
riveted. Butts overlapped
table riveted.

Fore & Main Lower Masts 3 plates in the round
3 angles 4 x 3 x 3/4 Beams double riveted. Butts
overlapped & table riveted.
Yards & Topmast beams single riveted. Butts
overlapped, table riveted. Angles 3 1/2 x 3 1/2 x 3/4 in Topmasts.
Partners & keels
Doublings at Lower Masts
" " Topmast
" " Sheaves Lower Mast cap & keel.
Yards Slings
" " Bed & Heel.

- RIGGING PLAN -
- BARQUE No 1278 -
- SCALE 8 INCH = ONE FOOT -
- DIMENSIONS 258' 0" x 39' 11" x 25' 1 1/2" MOULDED -
- WILLIAM HAMILTON & Co -
- SHIPBUILDERS -
- PORT GLASGOW -
- PLATING NUMBER 22487 -

Bowsprit.
2 pl in round & 4 angles 4" x 3" x 3/8
Beams double riveted. Butts
overlapped & table riveted.

Sum.

digging plan

W. Hamilton 1871 No. 127/128

11 72/20/158

No. 127. "Falkirk".

Greenock Report No. 11541.

No. 128 "Willis".

Greenock Report No. 11579



© 2020

Lloyd's Register
Foundation

20211574

6-2439-0118

© 2020

Lloyd's Register
Foundation