



# Lloyd's Register of Shipping,

"Broströmia," Packhusplatsen 6,

Gothenburg, 14th June, 1929.

*ENCLOSURES.*

*3 plans*  
The Secretary,  
LONDON.

LLOYD'S REGISTER  
RECEIVED  
17 JUN 1929  
Ann. 18  
LONDON

Dear Sir,


We enclose herewith a plan, in duplicate, showing watertight doors proposed to be cut in the watertight bulkheads of the steamer "SOLGLIMT", together with a profile showing the arrangement of the bulkheads in the ship.

The Owners desire that the proposed door in bulkhead 92 between C & D decks, which will be completely below the water line, should be of hinged type, and it should be noted that the existing hinged watertight doors in the tween decks above will also be partially below the waterline as the approved draft of the vessel is now about 33 feet.

The Owners also desire to have access from the Engine room to the generator room and would prefer to have some closing arrangement which is portable, such as a bolted plate, but the Builders are proposing a sliding W.T. door worked from B-deck.

I shall be glad to know whether the proposed arrangements are considered satisfactory.

It should be noted that in the event of damage in way



© 2021

Lloyd's Register  
Foundation

HAM1122 Q1471




- 2 -

of the machinery space it will be possible to have the vessel flooded between bulkhead 126 and the recessed bulkhead 72-64-46.

I am, Dear Sir,

Yours faithfully,

Geo. Webster.



© 2021

Lloyd's Register  
Foundation

HAMILTON 10/12/2021

Referred to the Chief Ship Surveyor.

G.H.B.  
17 JUN 1929

Submitted  
room to the  
frankenthal provided the  
latter worked from  
generator room  
faster worked from B deck, no  
room from the  
Waleight Building  
provided the  
room from the engine  
room by the  
Builders.

18/6/29  
R.H.

s/s "Solglint"

Plan of w.s. doors proposed to be  
cut in w.s. bulkheads.

On 14/6/29  
Ans'd 18th  
1 plan  
2 Retd.

return

March

Dear Sir

You require  
or out  
plan or

The Secy

