

2 Decks.

IRON OR STEEL STEAMER.

Received at London Office, 18 NOV 91

State if Report is also sent on the Machinery of the Vessel *Yes*

Date of completion of Report *2nd November* Port of *Hull*

Survey held at *Hull* Date, First Survey *July 3rd* Last Survey *Nov 7* 18 *91*

s/s "Britannia"

Rig *Ketch*

Master *John Greeves - 91*

ONE OR TWO DECKED VESSEL.

CLASS *100A1 "Steam Trawler"*

Year of appointment (1) As master in service of owner of present vessel - 18 (2) As master of this vessel - 18

Built at *Hull*

When built *1891* Launched *7/10/91*

By whom built *Charles & Co.*

Owners *James Meadows & Co.*

Managers *James Meadows (Lim)*

Residence

Port belonging to *Grimsby*

Destined Voyage *Fishing* Surveilled while Building *Afloat, in Dry Dock*

on Deck	Feet.	Inches.	BREADTH—	Feet.	Inches.	DEPTH—	Feet.	Inches.	Power of	Horse.	No. of Decks with Flat laid
Rule.....	93	75	Moulded.....	20	0	Top of Floors to Main Deck Beams.	10	5 1/2	Engines	45	No. of Tiers of Beams <i>one</i>

Dimensions of Ship per Register, Length, *96.7* breadth, *20.1* depth, *10.6*

Moulded Depth, ft. *11 ins. 2* Round of Beam *5* inches.

PLATES AND CASTINGS.

Bar or Side Plates depth and thickness

Moulding and thickness. *Bulb*

POST for Rudder do. do.

for Propeller

PIECE of Rudder, diameter at head

do. at heel

R, how constructed *Forged and plated*

Rudder be unsnipped afloat? *Yes*

FRAMING.

Angles, on *Base*, for $\frac{1}{2}$ length amidships

or $\frac{1}{2}$ at each end

way of Double Bottoms

of Frames from moulding edge to

ing edge, all fore and aft

SED FRAME, Angles

S. depth and thickness of Floor Plate

at mid-line for $\frac{1}{2}$ length amidships

n way of Engines and Boilers

thickness at the ends of vessel

depth at $\frac{1}{2}$ the half breadth, as per Rule

height extended at the Bilges

RS & BRACKETS, in Cell Dble Bottoms

Distance apart

CE GIRDER, in Double Bottom, depth

and thickness

Angles, Top Bottom

GIRDERS, number and thickness

Angles

IN PLATE, depth (exclusive of flange)

and thickness

Angles

BOTTOM PLATING, breadth and

thickness of Middle Line Strake

thickness in Engine and Boiler space

Remainder in Holds

S. Main and Raised Quarter Deck,

Angle Angle, Bulb Angle, Plate or Tee Bulb

Angles on Upper Edge

Average space

S. Lower Deck, Single Angle, Bulb

Angle, Plate or Tee Bulb

Angles on Upper Edge

Average space

Hold, Plate or Tee Bulb

Angles on Upper Edge

Average space

Popo Deck, Angle, Bulb Angle, Plate

or Tee Bulb

Angles on Upper Edge

Average space

S. Bridge Deck, Angle, Bulb Angle,

Plate or Tee Bulb

Angles on Upper Edge

Average space

S. Forecastle Deck, Angle, Bulb Angle,

Plate or Tee Bulb

Angles on Upper Edge

Average space

RS, In 'tween Decks, Size and Spacing

" Hold

FRAMES, In Fore Body, No. and Spacing

" " Brdth. & Thickness

No. of Side Stringers

FRAMES, In After Body, No. and Spacing

" " Brdth. & Thickness

No. of Side Stringers

Size of Angles or Tee Bars to Web Frames

KET PLATES to Stringers between

Frames, Depth and Thickness

KEELSONS AND STRINGERS.

CENTRE LINE KEELSON, Vertical Plate above

Floors, Through Plate, or Intercoastal Plate

Rider Plate

Bulb Plate to Intercoastal Keelson

Horizontal Plates on Floors

Angles

SIDE KEELSON, Angles

Bulb or Plate above floors for lng

Intercoastal Plate for length

Attached to outside plating with Angle

BILGE KEELSON, Angles

Bulb or Plate above floors for len.

Intercoastal Plate for length

Attached to outside plating with Angle

BILGE STRINGER Angles

Bulb Plate for length

Intercoastal Plate for length

Attached to outside plating with Angle

SIDE STRINGER Angles

Bulb or Intercoastal Plate for lng.

Main and Raised Quarter Deck Stringer

Plate, on ends of Beams, breadth & thkns

Angle on ditto

Tie Plates fore & aft, outside Hatchways

Diagonal Tie Plates on Bms., No. of Pairs

Flat of Dk* Iron or Steel for lng.

Wood *Pine* Material and thickness

How fastened to Beams *Galv. nut & screw bolts*

Lower Deck Stringer Plate, on ends of

Beams, breadth and thickness

Angles on ditto, No.

Tie Plates, outside Hatchways

Flat of Deck* Material and thickness

How fastened to Beams

Hold Stringer Plate, on ends of Beams

Angles on ditto, No.

Popo Deck Stringer Plate, breadth & thickness

Angle on ditto

Tie Plates

Flat of Deck, Material and thickness

Bridge Deck Stringer Plate, brdth & thickness

Angle on ditto

Tie Plates

Flat of Deck, Material and thickness

Forecastle Deck Stringer Plate, brdth & thkns

Angle on ditto

Tie Plates

Flat of Deck, Material and thickness

PLATING.

FLAT PLATE KEEL, breadth and thickness

d'bling or incr'd thkns, & lngth appl.

PLATES in Garboard Strakes, brd'th & thickness

From Garboard to lower part of Bilges

State Thickness of Plating in way of Double Bottom.

Bilges, number of Strakes and thickness

Of doubling at Bilge, or increased thickness,

and length applied

from up. part of Bilge to lr. edge of Sh'rstrake

Sheerstrake, breadth and thickness

Of d'bling at Sh'stk. & lng. applied

Popo Sides

Raised Quarter Deck Sides

Bridge Sides

Forecastle Sides

Lengths of Plating

* If Iron or Steel Deck, state if whole or part, and if wood deck is laid thereon.

State clearly where plating is of alternate thickness—as distinguished from diminished thickness at end of vessel.

Builder's Signature, (here only) *A. Williamson*
 GENERAL MANAGER & DIRECTOR.

Surveyor's Signature, *A. Williamson*
 Surveyor to Lloyd's Register of British and Foreign Ships