

5939

REPORT of SURVEY for REPAIRS.

No. in Reg. Book. **No. 2743** Survey held at Dunfermline Date 21 Dec 1867
 on the Sam S. S. Popham Master J. Campbell
 Tonnage 341 Built at Glasgow When built 1854
 By whom built Wingate Owners Selyman
 Port belonging to Glasgow Destined Voyage Dunkirk
 If Surveyed Afloat or in Dry Dock Andersons & Co Patent Slip, Dunfermline

Last Survey, No. 4643 Port Iron Classed 66

REPAIRS

The vessel placed on blocks on a patent slip. The timber boards, and ceiling equal to one strike fine and aft removed on both sides, with both surfaces of outside plating exposed, found the asphalt in good condition and adhering satisfactorily.

Present Condition of the

Decks <u>Good where seen</u>	Rivets <u>Good where seen</u>	Windlass and Capstan <u>Good</u>
Waterways <u>"</u>	Breasthooks and Stemson <u>"</u>	Pumps <u>"</u>
Comings <u>"</u>	Transoms, Pointers, and Crutches <u>"</u>	Boats <u>4th good sufficient</u>
Upper Deck Beams & Fastenings <u>"</u>	Timbers of the Frame at the openings <u>"</u>	Masts, Yards, &c. <u>Good</u>
Lower Deck Beams & Fastenings <u>"</u>	Ditto Ditto at other places <u>"</u>	Condition, how ascertained <u>from exposure and examination</u>
Planksheers <u>"</u>	Keelsons <u>"</u>	Sails <u>Good</u>
Sheerstrakes <u>"</u>	Clamps and Shelves <u>"</u>	Anchors No. of <u>2 Power 1 Heavy 2 Keys</u>
Topsides <u>"</u>	Ceiling <u>"</u>	Cables <u>Complete</u>
Wales <u>"</u>	Rudder <u>"</u>	Hawsers and Warps <u>Good</u>
Plank (Bottom) and Counter <u>"</u>	Copper <u>"</u> When put on <u>"</u>	Standing & Running Rigging <u>Good</u>

General Observations and Opinion,

Caulking of Bottom, Deck, & Waterways. Good where seen

This vessel appears to be in good and efficient condition and eligible in my opinion to remain as classed, and to be noted in Register S. S. No. 1 1867

The Amount of Fee.....£ " : " : " is received by me,

Special..... 2 : 2 : "

Certificate (if required) " : " : "

Committee's Minute 1st January 1868

Character assigned E 1

S. S. No. 1-67 m.s.



Lloyd's Register Foundation

IRON 441-0391