


No 2118 BR Telescope

Built by Gibson & Clifford



From the Plate to the Edge of 1st Beam 3. 5

From 1st Beam to 2nd — 2. 7

" 3 — 4. 1

" 4 — 4. 1

" 5 — 4. 1

" 6 — 4. 1 } For Hatch

" 7 — 4. 1

" 8 — 2. 7

" 9 — 2. 7

" 10 — 2. 7

" 11 — 2. 7

" 12 — 2. 10

Main Hatchway 11. 8 Long With 2 Half Beams. }
13 —

13 to 14 — 2. 9

" 15 — 2. 7

" 16 — 2. 7

" 17 — 4. 1 } For Hatch


" 18 — 4. 1

" 19 — 4. 2

There are 16 Frames in Midships 20 — 4. 1

4 ins. x 3 ins. x 1/2 ins. Thick. Poop 3. 1 1/2

Forming, Floors, First and Second Footlocks,



© 2016 Lloyd's Register Foundation

IRON506-0176

Roof

	ft	ins.
Between the 1 st and 2 nd Beams	3.	11
2 nd to 3 rd	2.	7
" 4 -	4.	1
" 5 -	4.	1
" 6 -	4.	1
" 7 -	3.	8
" 8 -	3.	1
After Plate	2.	0

Lower Deck Beams

	ft	in
From the Stem to 1 st Beam	11.	8
1 st to 2 nd	4.	1
" 3 -	4.	1
" 4 -	4.	1
" 5 -	7.	2
" 6 -	5.	7
" 7 -	5.	7
" 8 -	11.	8
" 9 -	4.	1
" 10 -	4.	1
" 11 -	4.	1
" 12 -	8.	7
" 13 -	4.	1
" 14 -	4.	1
" 15 -	4.	1
" 16 -	4.	1
" 17 -	4.	1
" 18 -	4.	2
" 19 -	4.	3
To the Starboard Post	2.	6

Fore Hatchway

Main Hatchway

After Hatchway



© 2021

Lloyd's Register
Foundation