

S.S. "Emile. Elvise" Dundee kept 1876

Quarter Deck Section S.S. No. 7

Midship Section S.S. No. 7

Scale 1/2" = one Foot

Rev 13/11/76

11

Stringer plate 28 x 7/16 for half length ends 15 x 5/16

Sheer strake 30 x 7/16 for 3/4 length ends 8 1/2 x 7/16

Lower edge of sheer strake double riveted 3/4 rivets landing 4 1/2

5/16

Double riveted 3/4 rivets landing 4 1/2

7/16 for half length ends 6 1/8

Double riveted 3/4 rivets landing 4 1/2

6/16 for half length ends 5 1/8

Single riveted 5/8 rivets landing 2 1/2

6/16

Single riveted 5/8 rivets landing 2 1/2

5/16

Single riveted 5/8 rivets landing 2 1/2

Deck 6 x 3"
Beam on every alternate frame 5 1/2 x 3 1/4 7/16
Length between perp^{ds} 124 ft Breadth beam 20 ft

Depth in Hold 9 ft
" from top of floor 9 1/2 x 2"

Class 90 A

Breadth 6.2
Depth 12.3

Half Breadth	10.0
" Girth	18.16
Depth	10.13
	3829
	124
	4747.96

Ceiling 2"

Reverse frames 2 1/2 x 2 1/2 x 4/16
Floor 11 1/2 x 5/16 engine & boiler space 9/16
Frames 5 x 2 1/2 x 5/16 spaced 20" apart

Beams 6 x 2 1/2
In plate 7 x 5/16
Beams on every alternate frame 5 1/2 x 3 1/4 7/16
Stringer plate 28 x 6/16

5/16

Half Breadth 10.0

" Girth 21.25

Depth 13.66
44.91

Reverse angle iron on every alternate frame to hold stringer & on every other to gunwale

Rider plate 6 3/4 x 7/16 for 3/4 length
plate 8 1/2 x 7/16

6 x 6/16 in ship

Keel 6 3/4 x 1 1/4"
Stem 6 x 1 1/4"
Stem & propeller post 6 x 2 1/2"

Rev 13/11/76

Black & Noble
IRON SHIP BUILDERS
IRON TROST

IRON 522-0045