


REPORT ON MACHINERY

(LLOYDS REGISTER.)

VESSELS OF 100 TONS AND UPWARDS.

These particulars are supplied by the Registrar General of Shipping and Seamen for the sole use of Lloyd's Register of British and Foreign Shipping.

Signal Letters (if any) K.B.D.C.

Official Number.	Name of Ship.	No., Date, and Port of Registry.
141900	Shornfield	16/1919 Glasgow

No., Date, and Port of Previous Registry (if any).

Whether British or Foreign Built.	Whether a Sailing or Steam Ship; and if a Steam Ship how propelled.	Where Built.	When Built.	Name and Address of Builders.
British	Steam Screw	Sunderland	1919	William Dargdale & Sons Ltd Sunderland.

Number of Decks ...	One	Length from fore part of stem, under the bowsprit, to the aft side of the head of the stern post ...	Feet.	Tenths.
Number of Masts ...	Two	Length at quarter of depth from top of weather deck at side amidships to bottom of keel ...	400	0
Rigged ...	Schooner	Main breadth to outside of plank ...	399	5
Stern ...	Belegical	Depth in hold from tonnage deck to ceiling at midships ...	52	4
Build ...	Clinder	Depth in hold from upper deck to ceiling at midships, in the case of three decks and upwards ...	28	5
Galleries ...	None	Depth from top of beam amidships to top of keel ...	-	-
Head ...	Straight	Depth from top of deck at side amidships to bottom of keel ...	32	1
Framework and description of vessel ...	Steel cargo	Round of main ...	31	3
Number of Bulkheads ...	Seven	Length of engine room, if any ...	1	1
Number of water ballast tanks, and their capacity in tons ...	Seven 1435 lbs		47	6

PARTICULARS OF DISPLACEMENT.

Total to quarter the depth from weather deck at side amidships to bottom of keel ... 106 1/4 Tons. Ditto per inch immersion at same depth ... 41.12 Tons.

PARTICULARS OF PROPELLING ENGINES, &c. (if any).

No. of sets of Engines.	Description of Engines.	Whether British or Foreign made.	When made.	Name and address of makers.	Reciprocating Engines. No. and Diameter of Cylinders in each set.	Length of Stroke.	Rotary Engines. No. of Cylinders in each set.	N. H. P. I. H. P. Speed of Ship.
One	Triple expansion direct acting	Engines.	Engines.	Engines.	Three	27"		517
		Boilers.	Boilers.	Boilers.	44"	48"		3000
One	Particulars of Boilers. Description ... Number ... Iron or Steel ... Loaded Pressure ...	Boilers.	Boilers.	Boilers.	73"			1 1/2 knots

PARTICULARS OF TONNAGE.

GROSS TONNAGE.	No. of Tons.	DEDUCTIONS ALLOWED.	No. of Tons.
Under Tonnage Deck ...	4821.98	On account of space required for propelling power	1693.34
Space or spaces between Decks ...		On account of spaces occupied by Seamen or Apprentices, and appropriated to their use, and kept free from goods or stores of every kind, not being the personal property of the Crew	
Turret or Trunk ...	5.96	These spaces are the following, viz.:—	
Forecastle ...	144.72	63 cubic engine room space	260.73
Bridge space ...	163.73		
Poop or Break ...	39.37		
Side Houses ...	68.70		
Deck Houses ...	47.22		
Chart House ...			
Spaces for machinery, and light, and air, under Section 78 (2) of the Merchant Shipping Act, 1894 ...			
Excess of Hatchways ...			
Gross Tonnage ...	5291.68		
Deductions, as per Contra ...	2067.74		
Registered Tonnage ...	3203.94		

NOTE 1.—The tonnage of the engine room spaces below the Upper Deck is 619.94 tons, and the tonnage of the total spaces framed in above the Upper Deck for propelling machinery and for light and air is 108.47 tons.

NOTE 2.—The undermentioned spaces above the Upper Deck are not included in the cubical contents forming the ship's register tonnage.

Open Forecastle 237.5 = 71.59

Open Bridge Space 212.5 = 333.10

Name of Master	Certificate of { Service No. Competency No.
No. of Owners	
Name, Residence, and Description of Managing Owner if there are more owners than one.	Manager.
British India Steam Navigation Co Ltd	See Duncan Carmichael
122, Leadenhall St. London, E.C.3.	122, Leadenhall St
Shares. Sixty-four.	London, E.C.3.
Dated 29 th April 1919.	

(830) (74843) Wt. 19793/74 2000 8-17 W B & L

Date of Test

Diameter of Safety Valve

Pressure to which each is adjusted

Is Easing Gear fitted

W1004-0035