

GENERAL REMARKS—(continued).

[Faint, mostly illegible handwritten notes in the General Remarks section.]

PARTICULARS FOR RECORD in the REGISTER BOOK.—Length of Poop ft., R.Q.D. ft., Bridge ft., Forecastle ft.
(in feet and tenths). When the Poop is joined to the B.D., this should be distinctly stated joined by Shade Dh.

No. and Material of Decks (if Iron or Steel) and whether wholly or partially covered with wood, and No. of tiers of Beams (this information is to be given as it should appear in the Register Book). 2 Deck

Official No. _____; Signal Letters _____ State if Machinery is fitted aft No
How are the surfaces preserved from oxidation? Inside Paint & Cement Outside Paint

PARTICULARS OF WATER BALLAST.—State whether the Double bottom is constructed on the cellular system or with girders on floors.

Where Fitted.	*Length. Feet.	Water Capacity. Tons.	Where Fitted.	*Length. Feet.	Water Capacity. Tons.
Double bottom, aft,	<u>104</u>	<u>159</u>	Fore peak tank,		<u>51</u>
Double bottom, under Engines and Boilers,			After peak tank,		<u>21</u>
Double bottom, if under Engines only,	<u>46</u>	<u>148</u>	Deep tank, aft,	<u>33</u>	<u>184</u>
Double bottom, if under Boilers only, <u>Dry tank</u>	<u>35</u>		Deep tank, forward,	<u>18</u>	<u>337</u>
Double bottom, forward,	<u>184</u>	<u>398</u>	Other tanks, if fitted,	<u>15</u>	<u>96</u>
	Total capacity of double bottom	<u>705</u>	(If necessary, furnish further information by sketch.)		

* The wells are not to be included in the lengths of the tanks. State whether the above have been tested as required by the Rules Yes

Order for Special Survey No. 4787
Date 1.10.13
No. 512 in builder's yard.
DATES of Surveys held while building
1913 Sept. 2. 16. 19. 24. 30 Oct. 3. 7. 17. 31 Nov. 7. 11. 21. 25 Dec. 5. 1914 Jan. 13. 20. 23. 27 Feb. 3. 10. 17. 24 Mar. 6. 11. 17. 24. 27 Apr. 2. 7. 14. 21. 28 May 5. 8. 15. 20. 23 June 2. 12. 16. 25 30 July 1. 30 Aug. 4. 11. 19. 25. 28 Sept. 4. 11. 24. Oct. 1. 5. 9. 13. 15. 21. 23. 27 28. 30 Nov. 3. 6. 10. 13. 20 27. Dec. 1. 4. 8. 11. 15. 18. 22. 24. 29 1915 Jan. 6. 15. 22. 25. 29 Feb. 2. 10. 12 Mar. 4. 10. 11. 22. 25. 31 Apr. 6. 16. 22. 29. 30 May 5.
Total No. of Visits 97

Surveyor's Signature Henry A. H. L.

WEB-FRA
" I
WEB-FRA
" No
" Size
BRACKET
Web Fra
BULKH
Mids
W.T.BUL
" COLL
PARTIT
LONGIT
Are the o
Are the S
S
FLAT P
(U Bar R
GARBOA
State ac
thickness
way of D
Bottom
Write "Aiming or Shelter Deck" "Sheer Strake" opposite the corresponding letter.
TH'KN
CLEAR
Do.
DBLG.
" Leng
POOP
SHORT
FOREC
SH
Awnt
Shel
Strin
Upper
Strin
Ma
FRAM
REVE
LOWER
Bowspr
Topmas
Riggin
Sails.

Rpt
Date
No.
Reg.
Mast
Engin
Boile
LLOYD'S REGISTER
This C
"While
that neither
certificate iss
of judgment,
B 1.)—2m,12.1
Thick
Wor
separ
holes
If st
Wor