

~~Awning or Shelter Deck,~~  
~~or Pt. Awning Deck.~~

MOTOR VESSEL.  
~~STEEL STEAMER.~~

No. 42668

State of Report is also sent on the Machinery of the Vessel Yes

Port of Glasgow Date of completion of Report 20<sup>th</sup> April 1923 Received at London Office WED. APR. 25 1923

Survey held at Glasgow Date, First Survey 15<sup>th</sup> April 1923 Last Survey 18<sup>th</sup> April 1923

On the Twin screw motor vessel "EDIBA" Rig Schooner

CLASS 100 A1. Shelter Deck with freeboard 54.0 Master C. J. Shooter

TONNAGE under Tonnage Deck 4350.24 Breadth (greatest moulded) 54.0

Do. between Tonnage Dk. and 3rd, 4th, or Awning Dk. 1431.87 Depth, at middle of length from top of keel to top of beams at side of uppermost Continuous Deck 35.48

Total under Upper Dk. 6082.11 Deduct height of 'tween deck when this does not exceed 8ft. -8.0 Built at Glasgow

Do. of Poop 85.63 Transverse Number 81.48 When built 1923 Launched 7<sup>th</sup> Dec. 1922

Do. of R. Gr. Dk. 4.78 Length on deck from fore part of stem to after part of sternpost 405.0 By whom built Harland & Wolff L<sup>td</sup>

Do. of Bridge House 489.07 Longitudinal Number 32994 Owners Elder Dempster & Co L<sup>td</sup>

Do. of Forecastle 76.97 Depth "d" at middle of length. See Secs. 2 & 13. 13.9 Managers

Do. of Houses on Deck 164.78 Proportions, Depths to Length, Uppermost Continuous Deck at side to top of keel 9.31 Residence

Do. of excess of Hatchways 15.56 " " " Upper Deck at side to top of keel 11.42 Port belonging to London

Do. above Crown of Engine Room  Destined Voyage Lagos If Surveyed while Building, Afloat, or in Dry Dock Yes

Gross Tonnage 6918.90 Register Tonnage 4220.07

Less Crew Space 330.32 as cut on Beam

Less above Crown of Engine Room

Less Navigation Spaces 154.46

LENGTH on Deck as per Rule	Ft.	Ins.	BREADTH Moulded	Ft.	Ins.	DEPTH, ACTUAL	Top of Floors to top of Shelter Dk. Beams	Ft.	Ins.	No. of Decks with flat laid	No. of Tiers of Beams
	405	0		54	0			32	10 1/2	2	2

\* Dimensions of Ship per Register, Length 406.05 breadth 54.2 depth 23.65 Upper Deck. Moulded depth, ft. 26 ins. 2 1/4 To Upper Dk. Round up of Uppermost Dk. Beam, Actual 12 ins.

FRAMING.						PILLARS.					
Inches in Ship.	Inches in Ship.	Inches in Ship.	Inches per Rule Or as Approved.	Inches per Rule Or as Approved.	Inches per Rule Or as Approved.	Inches in Ship.	Inches in Ship.	Inches in Ship.	Inches per Rule Or as Approved.	Inches per Rule Or as Approved.	Inches per Rule Or as Approved.
Angles, or <del>Bulb Angles</del> amidships						PILLARS, In 'tween Deck, size and spacing					
7' 5 1/2"	3 1/2"	3 1/2"	7' 5 1/2"	3 1/2"	3 1/2"	Two rows withy spaced					
7' 3 1/2"	4 1/2"	4 1/2"	7' 3 1/2"	4 1/2"	4 1/2"	Hold					
3 1/2"	3 1/2"	4 1/2"	3 1/2"	3 1/2"	4 1/2"	Quarter, 'tween Dks.,					
3 1/2"	3 1/2"	4 1/2"	3 1/2"	3 1/2"	4 1/2"	in Hold					
Frames from centre to centre amidships						KEELSONS AND STRINGERS.					
26	26	26	26	26	26	CENTRE LINE KEELSON, Vertical Plate above					
26	26	26	26	26	26	floors, Through Plate, or Intercoastal Plate					
24	24	24	24	24	24	Rider Plate					
3 1/2"	3 1/2"	5 1/2"	3 1/2"	3 1/2"	5 1/2"	Flat Keel Plate Angles					
3 1/2"	3 1/2"	4 1/2"	3 1/2"	3 1/2"	4 1/2"	Horizontal Plates on Floors					
7"	7"	7"	7"	7"	7"	Angles or Bulb Angles					
ED FRAME, Angles, in motor space						SIDE KEELSONS, Number					
3 1/2"	3 1/2"	5 1/2"	3 1/2"	3 1/2"	5 1/2"	Angles or Bulb Angles					
3 1/2"	3 1/2"	4 1/2"	3 1/2"	3 1/2"	4 1/2"	Plate above floors, for					
3 1/2"	3 1/2"	4 1/2"	3 1/2"	3 1/2"	4 1/2"	Intercoastal Plate, for					
3 1/2"	3 1/2"	4 1/2"	3 1/2"	3 1/2"	4 1/2"	Attached to outside plating with Angle					
way of Double bottoms at Solid Floors						BILGE KEELSON, Angles					
3 1/2"	3 1/2"	4 1/2"	3 1/2"	3 1/2"	4 1/2"	Intercoastal Plate, for					
3 1/2"	3 1/2"	4 1/2"	3 1/2"	3 1/2"	4 1/2"	Attached to outside plating with Angle					
at intermdt. Bkts.						SIDE STRINGERS, Number					
7"	7"	7"	7"	7"	7"	Angle					
7"	7"	7"	7"	7"	7"	Intercoastal Plate, for					
7"	7"	7"	7"	7"	7"	Attached to outside plating with Angle					
G, depth of girder						Awning or Shelter Deck Stringer Plates,					
43	43	43	43	43	43	breadth and thickness					
43	43	43	43	43	43	Angle on ditto					
43	43	43	43	43	43	Tie Plates, fore and aft, outside Hatchways					
43	43	43	43	43	43	Deck, * Iron or Steel, for					
43	43	43	43	43	43	Wood Deck, Material & thickness					
at mid-line for 1/2 length amidships						Upper Deck Stringer Plate, breadth and					
43	43	43	43	43	43	thickness					
43	43	43	43	43	43	Angles on ditto, No.					
43	43	43	43	43	43	Tie Plates, outside Hatchways					
43	43	43	43	43	43	Deck, * Iron or Steel, for					
43	43	43	43	43	43	Wood Deck, Material & thickness					
way of Engine and Boiler spaces						Second Deck Stringer Plates, br'dth & thckn's					
43	43	43	43	43	43	Angles on ditto, No.					
43	43	43	43	43	43	Tie Plates, outside Hatchways					
43	43	43	43	43	43	Deck, * Material and thickness					
43	43	43	43	43	43	Third, Fourth & Fifth Deck Stringer Plate,					
43	43	43	43	43	43	breadth and thickness					
43	43	43	43	43	43	Angles on ditto, No.					
43	43	43	43	43	43	Tie Plates, outside Hatchways					
43	43	43	43	43	43	Deck, Material and thickness					
thickness at the ends of vessel						Poop Deck Stringer Plate, breadth & thickness					
43	43	43	43	43	43	Angles on ditto					
43	43	43	43	43	43	Tie Plates					
43	43	43	43	43	43	Deck, Material and thickness					
43	43	43	43	43	43	Bridge Deck Stringer Plate, br'dth & thickness					
43	43	43	43	43	43	Angle on ditto					
43	43	43	43	43	43	Tie Plates					
43	43	43	43	43	43	Deck, Material and thickness					
length at 1/2 the half-bdth. as per Rule						Forecastle Deck Stringer Plate, br'dth & th'kns					
43	43	43	43	43	43	Angle on ditto					
43	43	43	43	43	43	Tie Plates					
43	43	43	43	43	43	Deck, Material and thickness					
eight extended at the Bilges						Poop Deck Stringer Plate, breadth & thickness					
43	43	43	43	43	43	Angles on ditto					
43	43	43	43	43	43	Tie Plates					
43	43	43	43	43	43	Deck, Material and thickness					
in Cell Double Bottoms						Forecastle Deck Stringer Plate, br'dth & th'kns					
43	43	43	43	43	43	Angle on ditto					
43	43	43	43	43	43	Tie Plates					
43	43	43	43	43	43	Deck, Material and thickness					
state if flanged (top and bottom)						Poop Deck Stringer Plate, breadth & thickness					
43	43	43	43	43	43	Angles on ditto					
43	43	43	43	43	43	Tie Plates					
43	43	43	43	43	43	Deck, Material and thickness					
spacing of Solid						Forecastle Deck Stringer Plate, br'dth & th'kns					
43	43	43	43	43	43	Angle on ditto					
43	43	43	43	43	43	Tie Plates					
43	43	43	43	43	43	Deck, Material and thickness					
GIRDER, in Dbl. bottom, dpth. & thcknss						Poop Deck Stringer Plate, breadth & thickness					
43	43	43	43	43	43	Angles on ditto					
43	43	43	43	43	43	Tie Plates					
43	43	43	43	43	43	Deck, Material and thickness					
Angles, Top						Forecastle Deck Stringer Plate, br'dth & th'kns					
43	43	43	43	43	43	Angle on ditto					
43	43	43	43	43	43	Tie Plates					
43	43	43	43	43	43	Deck, Material and thickness					
Bottom						Poop Deck Stringer Plate, breadth & thickness					
43	43	43	43	43	43	Angles on ditto					
43	43	43	43	43	43	Tie Plates					
43	43	43	43	43	43	Deck, Material and thickness					
to Floors						Forecastle Deck Stringer Plate, br'dth & th'kns					
43	43	43	43	43	43	Angle on ditto					
43	43	43	43	43	43	Tie Plates					
43	43	43	43	43	43	Deck, Material and thickness					
Brackets at intermdt. frmg., width & thcknss						Poop Deck Stringer Plate, breadth & thickness					
43	43	43	43	43	43	Angles on ditto					
43	43	43	43	43	43	Tie Plates					
43	43	43	43	43	43	Deck, Material and thickness					
GIRDERS, number and thickness						Forecastle Deck Stringer Plate, br'dth & th'kns					
43	43	43	43	43	43	Angle on ditto					
43	43	43	43	43	43	Tie Plates					
43	43	43	43	43	43	Deck, Material and thickness					
state if flanged (top & bottom)						Poop Deck Stringer Plate, breadth & thickness					
43	43	43	43	43	43	Angles on ditto					
43	43	43	43	43	43	Tie Plates					
43	43	43	43	43	43	Deck, Material and thickness					
Angles						Forecastle Deck Stringer Plate, br'dth & th'kns					
43	43	43	43	43	43	Angle on ditto					
43	43	43	43	43	43	Tie Plates					
43	43	43	43	43	43	Deck, Material and thickness					
N PLATE, depth (exclusive of flange)						Poop Deck Stringer Plate, breadth & thickness					
43	43	43	43	43	43	Angles on ditto					
43	43	43	43	43	43	Tie Plates					
43	43	43	43	43	43	Deck, Material and thickness					
and thickness						Forecastle Deck Stringer Plate, br'dth & th'kns					
43	43	43	43	43	43	Angle on ditto					
43	43	43	43	43	43	Tie Plates					
43	43	43	43	43	43	Deck, Material and thickness					
Angles to outside plating						Poop Deck Stringer Plate, breadth & thickness					
43	43	43	43	43	43	Angles on ditto					
43	43	43	43	43	43	Tie Plates					
43	43	43	43	43	43	Deck, Material and thickness					
to floors						Forecastle Deck Stringer Plate, br'dth & th'kns					
43	43	43	43	43	43	Angle on ditto					
43	43	43	43	43	43	Tie Plates					
43	43	43	43	43	43	Deck, Material and thickness					
Brackets at intermdt. frmg., width & thcknss						Poop Deck Stringer Plate, breadth & thickness					
43	43	43	43	43	43	Angles on ditto					
43	43	43	43	43	43	Tie Plates					
43	43	43	43	43	43	Deck, Material and thickness					
Height of Brackets above at bilge						Forecastle Deck Stringer Plate, br'dth & th'kns					
43	43	43	43	43	43	Angle on ditto					
43	43	43	43	43	43	Tie Plates					
43	43	43	43	43	43	Deck, Material and thickness					
BOTTOM PLATING, breadth and						Poop Deck Stringer Plate, breadth & thickness					
43	43	43	43	43	43	Angles on ditto					
43	43	43	43	43	43	Tie Plates					
43	43	43	43	43	43	Deck, Material and thickness					
thickness of Middle Line Strake						Forecastle Deck Stringer Plate, br'dth & th'kns					
43	43	43	43	43	43	Angle on ditto					
43	43	43	43	43	43	Tie Plates					
43	43	43	43	43	43	Deck, Material and thickness					
thickness in Engine and Boiler space						Poop Deck Stringer Plate, breadth & thickness					
43	43	43	43	43	43	Angles on ditto					
43	43	43	43	43	43	Tie Plates					
43	43	43	43	43	43	Deck, Material and thickness					
Remainder in Holds						Forecastle Deck Stringer Plate, br'dth & th'kns					
43	43	43	43	43	43	Angle on ditto					
43	43	43	43	43	43	Tie Plates					
43	43	43	43	43	43	Deck, Material and thickness					
S, Awning or Shltr Dk, Single Angle						Poop Deck Stringer Plate, breadth & thickness					
43	43	43	43	43	43	Angles on ditto					
43	43	43	43	43	43	Tie Plates					
43	43	43	43	43	43	Deck, Material and thickness					
Bulb Angle, Plate, Tee Bulb or Channel						Forecastle Deck Stringer Plate, br'dth & th'kns					
43	43	43	43	43	43	Angle on ditto					
43	43	43	43	43	43	Tie Plates					
43	43	43	43	43	43	Deck, Material and thickness					
Spacing						Poop Deck Stringer Plate, breadth & thickness					
43	43	43	43	43	43	Angles on ditto					
43	43	43	43	43	43	Tie Plates					
43	43	43	43	43	43	Deck, Material and thickness					
IS, Upper Deck, Single Angle, Bulb Angle, Plate, Tee Bulb or Channel						Forecastle Deck Stringer Plate, br'dth & th'kns					
43	43	43	43	43	43	Angle on ditto					
43	43	43	43	43	43	Tie Plates					
43	43	43	43	43	43	Deck, Material and thickness					
Spacing						Poop Deck Stringer Plate, breadth & thickness					
43	43	43	43	43	43	Angles on ditto					
43	43	43	43	43	43	Tie Plates					
43	43	43	43	43	43	Deck, Material and thickness					
IS, Second, Third & Fourth Deck, Single Angle, Bulb Angle, Plate, Tee Bulb or Channel						Forecastle Deck Stringer Plate, br'dth & th'kns					
43	43	43	43	43	43	Angle on ditto					
43	43	43	43	43	43	Tie Plates					
43	43	43	43	43	43	Deck, Material and thickness					
Angles on upper edge						Poop Deck Stringer Plate, breadth & thickness					
43	43	43	43	43	43	Angles on ditto					
43	43	43	43	43	43	Tie Plates					
43	43	43	43	43	43	Deck, Material and thickness					
Spacing						Forecastle Deck Stringer Plate, br'dth & th'kns					
43	43	43	43	43	43	Angle on ditto					
43	43	43	43	43	43	Tie Plates					
43	43	43	43	43	43	Deck, Material and thickness					
IS, Poop Deck, Angle, Bulb Angle, Plate, Tee Bulb or Channel						Poop Deck Stringer Plate, breadth & thickness					
43	43	43	43	43	43	Angles on ditto					
43	43	43	43	43	43	Tie Plates					
43	43	43	43	43	43	Deck, Material and thickness					
Angles on upper edge						Forecastle Deck Stringer Plate, br'dth & th'kns					
43	43	43	43	43	43	Angle on ditto					
43	43	43	43	43	43	Tie Plates					
43	43	43	43	43	43	Deck, Material and thickness					
Spacing						Poop Deck Stringer Plate, breadth & thickness					
43	43	43	43	43	43	Angles on ditto					
43	43	43	43	43	43	Tie Plates					
43	43	43	43	43	43	Deck, Material and thickness					
IS, Bridge Deck, Angle, Bulb Angle, Plate, Tee Bulb or Channel						Forecastle Deck Stringer Plate, br'dth & th'kns					
43	43	43	43	43	43	Angle on ditto					
43	43	43	43	43	43	Tie Plates					
43	43	43	43	43	43	Deck, Material and thickness					
Angles on upper edge						Poop Deck Stringer Plate, breadth & thickness					
43	43	43	43	43	43	Angles on ditto					
43	43	43	43	43	43	Tie Plates					
43	43	43	43	43	43	Deck, Material and thickness					
Spacing						Forecastle Deck Stringer Plate, br'dth & th'kns					
43	43	43	43	43	43	Angle on ditto					
43	43	43	43	43	43	Tie Plates					
43	43	43	43	43	43	Deck, Material and thickness					
IS, Forecastle Deck, Angle, Bulb Angle, Plate, Tee Bulb or Channel						Poop Deck Stringer Plate, breadth & thickness					
43	43	43	43	43	43	Angles on ditto					
43	43	43	43	43	43	Tie Plates					
43	43	43	43	43	43	Deck, Material and thickness					
Angles on upper edge						Forecastle Deck Stringer Plate, br'dth & th'kns					
43	43	43	43	43	43	Angle on ditto					
43	43	43	43	43	43	Tie Plates					
43	43	43	43	43	43	Deck, Material and thickness					
Spacing						Poop Deck Stringer Plate, breadth & thickness					
43	43	43	43	43	43	Angles on ditto					
43	43	43	43	43	43	Tie Plates					
43	43	43	43	43	43	Deck, Material and thickness					

\* If Iron or Steel Deck, state if whole or part, and if wood deck is laid thereon.



[illegible]



EQUIPMENT No. 37270 LETTER 2 ANCHORS. Number of Certificate. Anchors. WEIGHT, EX. STOCK. WEIGHT OF STOCK. TEST, PER CERTIFICATE. WEIGHT REQ. BY TABLE 31. Description of Anchor. Makers. Where and when tested and Superintendent.


CHAIN CABLES. HAWSERS AND WARPS. Number of Certificate. Length and Size supplied. Test per Certificate. WEIGHT OF CHAIN CABLE. FATHOMS AND SIZE PER TABLE 31. Description. Makers of Cables. Where and when tested, and Superintendent. Material. Length and Size supplied. Breaking Test of Steel Wire Towline. FATHOMS AND SIZE PER TABLE 31.

Boats. Pumps, Number. Windlass is. Engine Room Skylights. Coal Bunker Openings. Number of Scuppers. Ceiling in Holds. Cargo Hatchways. State size No. 1 Hatch. Number of Web Plates. Bulwarks. Builder's Signature. Managing Director. Surveyor's Signature.

Correspondence. Workmanship. Is the riveted work properly closed? Are the liners between the frames and plates solid single pieces? to plate, &c., conform well to each other? from the faying surfaces? Are the butts of Plating, Stringers, &c., properly shifted and strapped? Have all the upper and weather decks been tested as required by the Rules (Sec. 26, par. 20)? Have all the gutterways been tested as required by the Rules (Sec. 26, par. 20)?

General Remarks (State quality of workmanship, &c.) This vessel has been built in accordance with the approved plans, the Secretary's letters of the above dates and in conformity with the Society's Rules for the class contemplated. The vessel is fitted for carrying oil fuel in Nos. 1, 2, 3, 5, & 6 double bottom tanks also in a tank fitted between the Tunnels. These compartments have all been tested in accordance with the Rules and the requirements of Section 49 of the Rules in so far as they apply to this vessel have been complied with. Before the vessel was delivered to her owners she was placed in dry-dock when the bottom, rudder & stem were examined, found in order and recoated. 17. Approved plans enclosed herewith also midship section & profile. Sister vessel "GLENARIFFE" Glasgow Rpi. #39283. The Surveyor should state the Number of Report and Name of any Sister Vessel. Plans to be forwarded with F.E. Report showing vessel as built.

The amount of Entry Fee. Special Survey Fee. Travelling Expenses, if any. FREEBOARD FEE. State whether the Vessel has been built under Special Survey. I am of opinion this Vessel should be Classed. With, or without Freeboard, as condition of Class. Committee's Minute. Character assigned. Glasgow 24 APR 1923. Shelter Deck with freeboard. 4.23. Lloyd's accp. + LMC 4.23.





GENERAL REMARKS—(continued).

of vessel as built. 9. Longing Reports also enclosed.

PARTICULARS FOR RECORD in the REGISTER BOOK.—Length of Poop 42.8 ft., R.Q.D. — ft., Bridge 45.5 ft., Forecastle 47.8 ft. (in feet and tenths). When the Poop is joined to the B.D., this should be distinctly stated *no*

No. and Material of Decks (if Iron or Steel) and whether wholly or partially covered with wood, and No. of tiers of Beams (this information is to be given as should appear in the Register Book) *2 dks (AK) & Shelter dk (AK + W.S)*

Official No. 147465; Signal Letters K.N.T.L. State if Machinery is fitted aft *no*

How are the surfaces preserved from oxidation? Inside *Paint & Cement* Outside *Paint & anti-rust compound*  
(*no cement fitted in way of inner bottom where oil fuel is to be carried*)

PARTICULARS OF WATER BALLAST.—State whether the Double bottom is constructed on the cellular system or with girders on floors. *Cellular system*

Where Fitted.	*Length. Feet.	Water Capacity. (Salt Water) Tons.	Where Fitted.	*Length. Feet.	Water Capacity. (Salt Water) Tons.
Double bottom, aft,	123.5	361	Fore peak tank,	22	116
Double bottom, under Engines and Boilers	43.5	151	After peak tank,	19.5	123
Double bottom, if under Engines only,	✓	✓	Deep tank, aft,	✓	✓
Double bottom, if under Boilers only,	✓	✓	Deep tank, forward,	✓	✓
Double bottom, forward,	141.0	493	Other tanks, if fitted, <i>Oil fuel tank between Tunnels</i>	20.0	55
Total length of double bottom 308 ft.		Total capacity of double bottom 1005	(If necessary, furnish further information by sketch.)		
* The wells are not to be included in the lengths of the tanks. 338.0			State whether the above have been tested as required by the Rules. <i>Yes.</i>		

Order for Special Survey No. 5405

Date 16.7.1920

No. 582 in builder's yard.

Dates of Surveys held while building

1920 Apr 15 May 3, 13, 24 Jun 7, 14, 20 Jul 7 Aug 2, 3, 16 Oct 21 Nov 5, 18, 30 Dec 15, 23 1921 Jan 12, 24 Feb 16, 22, 28 Mar 8, 18, 23, 29 Apr 5, 11, 19, 29 May 11 Jun 20, 27 Jul 7 Sep 29 1922 Jan 20, 27 Feb 3 Apr 1, 4, 9, 11, 21, 25, 30, 31 Sep 1, 6, 7, 11, 12, 14, 18, 19, 21, 26, 27, 28, 29 Oct 3, 6, 9, 11, 12, 16, 18, 19, 23, 24, 30 Nov 2, 7, 9, 14, 24, 28 Dec 5, 6, 7, 18, 20, 26 1923 Jan 15, 16, 20, 25, 29, 30 Feb 2, 6, 9, 12, 14, 19, 22, 23, 24 1924 Mar 2, 5, 8, 9, 15, 20, 29, 30 Apr 4, 12, 13, 17, 18

Total No. of Visits 112

Surveyor's Signature *Geo. M. S. Shaw & Chisholm*