

Do. of Bridge House...
 Do. of Forecastle...
 Do. of Houses on Deck...
 Transverse Number 97.58
 Length on deck from fore part of stem to after part of...
 When built 1910-8 mo. Launched...
 Res. anham built...
 250,110. F.E.

Received by Chief Ship Surveyor: 30/8/10
 Received from Chief Ship Surveyor...
 VESSEL'S NAME *Stl. S.S. "Pakeha"* Rpt. *Bel.* No. 6833.

The remarks of the Chief Ship Surveyor are desired on this case for the consideration of the Classing Committee.

("The endorsement to contain a succinct summary of any repairs that have been required and to show the cause or causes of such repairs, and also to bring out clearly any exceptional features in connection with the case, so that the Classing Committee may have all the salient points presented in the endorsement." - Extract from Sub-Committee's Report, 24/5/02.)

Transverse No. *97.58* Depth "d" *18.8*
 Framing: Table No. *3 page 15.* Description *Channel frame with reverse frame.*
 Longitudinal No. *46545.* Proportions Length = *9.4*
 Depth =

Edge Deck Sheerstrake 79" in lieu of 74. Increase not required.
Flat plate keel .14" less than rule but compensated for by an increase of 4" in width & the fitting of a 10" x 3" flat keel on the outside of the keel plate.
The chain cable is 2.5 cwt less than required by Table 31 of the rules, equal to 1/4 of 1% in view of the small deficiency it is submitted this cable might be accepted.

Other respects This vessel appears to have been built in accordance with the Rules and the approved plans, and it is submitted she is eligible to be classed ***100A1 ("Steel") "Shelter deck** with freeboard," as recommended. The Summer freeboard of *6'-0"* from centre of disc to top of statutory deck line at *upper* deck, now marked on the vessel's sides, to be inserted in the classification certificate, and recorded in the Register Book, and further, the remaining freeboards, as shown on the accompanying verification form to be inserted in the certificate of classification.

***100A1 ("Steel") "Shelter deck with freeboard"**
2 Dks (stl.) & Shelter deck (stl. w.s.)
WB = cell DB a 133' v E + B. 90' f 193' 1390t.
FK + BK 2" 9BH. Lem. Lloyd's A + C.P. B181'4F50' on Shelter deck.

AMS Port
 Forecastle Deck Stringer Plate, b'dth & th'kns
 Angle on ditto
 Lloyd's Register
 30/8/10
 W1036-0027