

WEB FRAMES. WEB-FRAMES, In Fore Body, No. and spacing. No. of Side Stringers. WEB-FRAMES, In E. & B. Space, No. and spacing. WEB-FRAMES, In After Body, No. and spacing. BRACKET PLATES to Stringers between Web Frames, depth and thickness. BULKHEADS. W.T. BULKHEADS. COLLISION PARTITION. LONGITUDINAL. FORGINGS or CASTINGS. KEEL, Bar, depth and thickness. STEM, moulding and thickness. STERN-POST for Rudder do. do. RUDDER-A x D. Table 22. Speed. Main-Piece, diameter at head. RUDDER, how constructed. Thickness of Plates or Single Plate. Manufacturer's name or trade mark of the Iron or Steel. RIVETING. PLATING. STRAKES. PLATE PLATE KEEL. THICKNESS OF STRAKES. POOP SIDES. SHORT BRIDGE SIDES. FORECASTLE SIDES. Upper Deck. Stringer Plate. Second Deck. Stringer Plate. FRAMES extend in one length from. REVERSED FRAMES on floors and frames extend from. MASTS, SPARS, &c. LOWER MASTS. Bowsprit. Topmasts, Yards and Remainder of Spars. Rigging, Material and Size, Shrouds. Sails. 1. For staysail. Suit of. Sails, and the following spare sails.

EQUIPMENT No. 6594. LETTER 8. ANCHORS. TONNAGE U. K. OR PLATING No. FOR TRAWLERS. CHAIN CABLES. HAWSERS AND WARPS. Boats. Pumps, Number. Windlass. Engine Room Skylights. Coal Bunker Openings. Number of Scuppers. Ceiling in Holds, thickness and material. Cargo Hatchways. State size No. 1 Hatch. State size No. 2 Hatch. State size No. 3 Hatch. State size No. 4 Hatch. No. of Breasthooks. No. of Crutches. Bulwarks, height above deck and description. Correspondence. Workmanship. Is the riveted work properly closed? Are the liners between the frames and plates solid single pieces? to plate, &c., conform well to each other? Are the butts of plating, Stringers, &c., properly shifted and strapped? Have all the upper and weather decks been tested as required by the Rules (Sec. 26, par. 20)? Have all the gutterways been tested as required by the Rules (Sec. 26, par. 20)? General Remarks. The Surveyor should state the Number of Report and Name of any Sister Vessel. The amount of Entry Fee. Special Survey Fee. Travelling Expenses, if any. State whether the Vessel has been built under Special Survey. I am of opinion this Vessel should be Classed. With or without Freeboard, as condition of Class. Committee's Minute. Character assigned. Lloyd's Arb. O. + 2. 10. 6. 9. 18. Lloyd's Register Foundation. W1050-00232.

GENERAL REMARKS—(continued).

PARTICULARS FOR RECORD in the REGISTER BOOK.—Length of Poop ☒ ft., R.Q.D. ☒ ft., Bridge ☒ ft., Forecastle ☒ (in feet and tenths). When the Poop is joined to the B.D., this should be distinctly stated ☒

No. and Material of Decks (if Iron or Steel) and whether wholly or partially covered with wood, and No. of tiers of Beams (this information is to be given as should appear in the Register Book) *1 deck steel, 2 tiers of beams*

Official No. *142636*; Signal Letters _____ State if Machinery is fitted aft *Yes*
How are the surfaces preserved from oxidation? Inside *Paint enamel* Outside *Paint*

PARTICULARS OF WATER BALLAST.—State whether the Double bottom is constructed on the cellular system or with girders on floors.

Where Fitted.	*Length. Feet.	Water Capacity. Tons.	Where Fitted.	*Length. Feet.	Water Capacity. Tons.	Pitch of
Double bottom, aft,	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Fore peak tank,	<i>9.25</i>	<i>28 1/2</i>	Material
Double bottom, under Engines and Boilers,			After peak tank,	<i>7</i>	<i>24</i>	Material
Double bottom, if under Engines only,			Deep tank, aft,			Diameter
Double bottom, if under Boilers only,			Deep tank, forward,			Thickness
Double bottom, forward,	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Other tanks, if fitted, <i>Reserve fuel</i>	<i>10.5</i>	<i>58</i>	Diameter
Total capacity of double bottom			(If necessary, furnish further information by sketch.)			Pitch ac

* The wells are not to be included in the lengths of the tanks.

State whether the above have been tested as required by the Rules. *Yes*

Order for Special Survey No. *10*

Date *7-7-17*

No. *360* in builder's yard.

Dates of Surveys held while building

1914:—Nov. 30. Dec. 5, 14, 31. 1918:—Jan. 8, 18, 22. Feb. 5, 12, 19, 25. Mar. 6, 8, 15, 20, 25. April 4, 17, 22, 24, 26, 30. May 3, 6, 9, 13, June, 4, 11, 12, 17, 19, 21, 27. July 1, 9, 12, 16, 19, 20, 23, 29. Aug. 2, 9, 14, 15, 21, 27, 30. Sept. 2, 5, 6, 8, 10, 11, 12, 14, 15, 16, 17, 18.

Surveyor's Signature

P. Lowndes

John B. Robinson

© 2021

Total No. of Visits *63*