

Rpt. 13.

No. 5 2006

REPORT ON ELECTRIC FITTINGS.

(OTHER THAN FOR THE PROPULSION OF THE VESSEL)

30 DEC 1931

Date of writing Report 17-12-1931, When handed in at Local Office 26-12-1931 Port of GLASGOW

No. in Survey held at GREENOCK. Date, First Survey 1-12-31 Last Survey 4-12-1931

Reg. Book.

(Number of Visits 3)

39230 on the

M.V. 'ACCLIVITY'

Tons { Gross 450
Net

Built at GREENOCK

By whom built GEO. BROWN & Coy Yard No. 182 When built 1931

Owners F. T. EVERARD & SONS LTD

Port belonging to LONDON

Electric Light Installation fitted by CLAUD HAMILTON LTD

Contract No. 182 When fitted 1931

Is the Vessel fitted for carrying Petroleum in bulk

Yes.

System of Distribution Double wire distributing fuse box.

Pressure of supply for Lighting 110 volts, Heating —, Power —, volts.

Direct or Alternating Current, Lighting direct, Power —

If alternating current system, state frequency of periods per second —

Has the Automatic Governor been tested and found efficient when the whole load is suddenly thrown on or off —

Generators, do they comply with the requirements regarding rating yes., are they compound wound yes.

are they over compounded 5 per cent. yes., if not compound wound state distance between each generator one only.

Where more than one generator is fitted are they arranged to run in parallel —, is an adjustable regulating resistance fitted in series with each shunt field yes.

Are all terminals accessible, clearly marked, and furnished with sockets yes., are they so spaced or shielded that they cannot be accidentally earthed, short circuited, or touched yes.

Are the lubricating arrangements of the generators as per Rule yes.

Position of Generators Engine Room.

is the ventilation in way of the generators satisfactory yes., are they clear of all inflammable material yes.

if situated near unprotected woodwork or other combustible material, state distance of same horizontally from or vertically above the generators

none and —, are the generators protected from mechanical injury and damage from water, steam or oil yes.

are their axes of rotation fore and aft yes.

Earthing, are the bedplates and frames of the generating plant efficiently earthed yes.

their respective generators in metallic contact no - belt driven are the prime movers and

Main Switch Boards, where placed Engine Room

If the generators and main switchboard are not placed in the same compartment, is each generator provided with a fuse on each insulated pole as near as possible to the terminals of the generator, additional to that provided on the main switchboard Same compartment

Switchboards, are they placed in accessible positions, free from inflammable gases and acid fumes yes.

are they protected from mechanical injury and damage from water, steam or oil yes., if situated near unprotected

woodwork or other combustible material, state distance of same horizontally from or vertically above the switchboards none and none

are they constructed wholly of durable, non-ignitable non-absorbent materials yes., is all insulation of high dielectric strength and of

permanently high insulation resistance yes., if semi-insulating material is used, are all conducting parts insulated from the slab

with mica or micaite or other non-hygroscopic insulating material, and the slab similarly insulated from its framework yes.

and is the frame effectively earthed yes. Are the fittings as per Rule regarding: — spacing or shielding of live parts

yes., accessibility of all parts yes., absence of fuses on back of board yes., proportion of omnibus

bars yes., individual fuses to voltmeter, pilot or earth lamp yes., connections of switches yes.

Main Switchgear, description of switchgear for each generator and each outgoing circuit, and arrangement of equalizer switches

Main switch (D.P.) and D.P. fuses for generator along with D.P. switches and D.P. fuses for each out going circuit

Instruments on main switchboard 1 ammeters 1 voltmeters — synchronising device for paralleling purposes.

Earth Testing, state what means are provided at the main switchboard for indicating the state of the insulation of the system Earth lamps

Switches, Circuit Breakers and Fusible Cut-outs, do these comply with the requirements of the Rules yes.

Joint Boxes Section and Distribution Boards, is the construction, protection, insulation, material, and position of these as per rule yes.

(fitted March '38)

© 2020

Lloyd's Register
Foundation

W1071-0074

30 DEC 1931

PARTICULARS OF GENERATING PLANT.

DESCRIPTION OF GENERATOR.	No. of	RATED AT				DRIVEN BY	WHERE DRIVEN BY AN INTERNAL COMBUSTION ENGINE.	
		Kilowatts.	Volts.	Ampères.	Revs. per Min.		Fuel Used.	Flash Point of Fuel.
MAIN	1	2.5	110	23	900	Bel from main engine or after natural flame aux engine		
AUXILIARY								
EMERGENCY	1	5 3/4	110			auxiliary engine	Oil Brown	Distilled 3,38
ROTARY TRANSFORMER								

GENERATOR, LIGHTING AND HEATING CONDUCTORS.

DESCRIPTION.	CONDUCTORS.		COMPOSITION OF STRAND.		TOTAL MAXIMUM CURRENT.		Approximate Length. (Lead and Return.) Feet.	Insulated with	HOW PROTECTED.
	No. per Pole.	Total Effective Area per Pole Sq. Ins.	No.	Diameter.	In Circuit.	Rule.			
MAIN GENERATOR	1	.004	4	.036	23	24	50	V. G. R.	Lead covered in tubing
EQUALISER CONNECTIONS									
AUXILIARY GENERATOR									
EMERGENCY GENERATOR									
ROTARY TRANSFORMER MOTOR GENERATOR									
ENGINE ROOM	1	.003	3	.036	2.8	12	3	V. I. R.	Lead covered in tubing
BOILER ROOM									
AUXILIARY SWITCHBOARDS									
Charging board for 120 cell battery for heating flaps in main engine	1	.0045	4	.029	14	18.2	10	V. G. R.	Lead covered
ACCOMMODATION	1	.003	3	.036	8	12	20	V. I. R.	Lead covered in tubing
WIRELESS									
SEARCHLIGHT									
MASTHEAD LIGHT	1	.002	3	.029	.3	4.8	250	V. I. R.	Lead covered
SIDE LIGHTS	(2)	.002	3	.029	.3	4.8	30	"	"
COMPASS LIGHTS	1	.002	3	.029	.2	4.8	20	"	"
POOP LIGHTS									
CARGO LIGHTS	1	.002	3	.029	1.4	4.8	50	"	Lead covered in tubing
ARC LAMPS									
HEATERS									

MOTOR CONDUCTORS.

DESCRIPTION.	No. of Motors.	CONDUCTORS.		COMPOSITION OF STRAND.		TOTAL MAXIMUM CURRENT.		Approximate Length. (Lead and Return.) Feet.	Insulated with	HOW PROTECTED.
		No. per Pole.	Total Effective Area per Pole Sq. Ins.	No.	Diameter.	In Circuit.	Rule.			
BALLAST PUMP										
MAIN BILGE LINE PUMPS										
GENERAL SERVICE PUMP										
EMERGENCY BILGE PUMP										
SANITARY PUMP										
CIRC. SEA WATER PUMPS										
CIRC. FRESH WATER PUMPS										
AIR COMPRESSOR										
FRESH WATER PUMP										
ENGINE TURNING GEAR										
ENGINE REVERSING GEAR										
LUBRICATING OIL PUMPS										
OIL FUEL TRANSFER PUMP										
WINDLASS										
WINCHES, FORWARD										
WINCHES, AFT										
STEERING GEAR—										
(a) MOTOR GENERATOR										
(b) MAIN MOTOR 3 1/2 HP.	1	1	0.0225	7	.064	28	46	60	V.I.R.C. in Conduit (fitted March '38)	
WORKSHOP MOTOR										
VENTILATING FANS										
Charging Board for 120 cell battery for heating flaps in main engine	1	.0045	4	.029	14	18.2				

Cables: Single, twin, concentric, or multicore Single are the cables insulated and protected as per Tables IV or V of the Rules Yes.

Fall of Pressure, state maximum between bus bars and any point of the installation under maximum load 2.5 Volts

Cable Sockets and other connections, are the ends of all cables having a sectional area of 0.04 square inch and above provided with soldering sockets Yes.

Paper Insulated Cables. If cables are paper covered, is the dielectric at the exposed ends of the conductor protected from moisture by being suitably sealed with insulating compound no paper.

Cable Runs, are the cables fixed as far as possible in accessible positions not exposed to drip or accumulation of water or oil, or to high temperature from boilers, steam pipes, uptakes or other hot objects, or to avoidable risk of mechanical damage Yes.

Support and Protection of Cables, state how the cables are supported and protected Lead covered clipped to bulk heads or under decks or encased in tubing

If cables are run in wood casings, are the casings and caps secured by screws —, are the cap screws of brass —, are the cables run in separate grooves —. If armoured and lead covered cables are secured by metal clips, are the clips spaced as per Table VIII Yes.

Refrigerated Chambers, if lights are fitted, are the cables and fittings in accordance with the special requirements none

Joints in Cables, state if any, and how made, insulated, and protected no joints

Watertight Glands and Deck Tubes, are all cables passing through decks and watertight bulkheads provided with deck tubes or watertight glands Yes.

Bushes in Beams and Non-watertight Partitions, where unarmoured cables pass through beams and non-watertight partitions, are the holes efficiently bushed Yes. state the material of which the bushes are made lead

Earthing Connections, state what earthing connections are fitted and their respective sectional areas —, are their connections made as per Rule —.

Alternative Lighting, are the groups of lights in the propelling machinery space arranged as per Rule Yes.

Emergency Supply, state position and method of control of the emergency supply and how the generator is driven none

Navigation Lamps, are these separately wired Yes, controlled by separate switch and separate fuses Yes, are the fuses double pole Yes, are the switches and fuses grouped in a position accessible only to the officers on watch Yes, has each navigation lamp an automatic indicator as per Rule Yes.

Secondary Batteries, are they constructed and fitted as per Rule Yes.

Fittings, are all fittings on weather decks, in stokeholds and engine rooms and wherever exposed to drip or condensed moisture, watertight Yes, are any fittings placed in spaces in which goods are liable to be stacked in close proximity to them; if so, how are they protected no, are any fittings placed in spaces where inflammable or explosive dust or gases are liable to be present, if so, how are they protected no, how are the cables led —, where are the controlling switches situated —.

Searchlight Lamps, No. of none, whether fixed or portable —, are their fittings as per Rule —.

Arc Lamps, other than searchlight lamps, No. of none, are their live parts insulated from the frame or case —, are their fittings as per Rule —.

Motors, are their working parts readily accessible none, are the coils self-contained and readily removable for replacement —, are the brushes, brush holders, terminals and lubricating arrangements as per Rule —, are the motors placed in well-ventilated compartments in which inflammable gases cannot accumulate and clear of all inflammable material —, are they protected from mechanical injury and damage from water, steam or oil —, are their axes of rotation fore and aft —, if situated near unprotected woodwork or other combustible material, are the motors of the totally enclosed, pipe ventilated, forced draught, drip or flame proof type —, if not of this type, state distance of the combustible material horizontally or vertically above the motors — and —.

Control Gear and Resistances, are the generator field and motor speed regulators, starters and controllers constructed and fitted as per Rule —.

Lightning Conductors, where lightning conductors are required, are these fitted as per Rule not necessary.

Ships carrying Oil having a Flash Point less than 150° F. Have the special requirements of the Rules been complied with regarding switches, joint boxes, section and distribution boards, protection of cables, method of distribution, lead of cables, lights and fittings —.

If portable lamps for use in dangerous spaces are supplied, are they of a type approved by the Home Office —.



© 2020

Lloyd's Register Foundation

24.3.38

All Conductors are of annealed copper conforming to British Standard Specification No. 7.

The Insulated Conductors are guaranteed to withstand the immersion and resistance tests specified in the Rules.

The foregoing is a correct description.

for David Hamilton Ltd W.S.

Electrical Engineers.

Date 21st Dec 31

COMPASSES.

Distance between electric generators or motors and standard compass 20

Distance between electric generators or motors and steering compass

The nearest cables to the compasses are as follows:—

A cable carrying 3.5 Amperes 10 feet from standard compass feet from steering compass.

A cable carrying Amperes feet from standard compass feet from steering compass.

A cable carrying Amperes feet from standard compass feet from steering compass.

Have the compasses been adjusted with and without the electric installation at work at full power

Has the effect of switching on and off circuits, motors and other electro-magnetic apparatus within the vicinity of the compasses been noted

The maximum deviation due to electric currents was found to be 1/2 degrees on any course in the case of the standard compass, and degrees on course in the case of the steering compass.

Geo Brown

Builder's Signature.

Date 23.12.31

Is this installation a duplicate of a previous case If so, state name of vessel

General Remarks (State quality of workmanship, opinions as to class, etc.)

This installation has been fitted on board under special survey, tested under full working condition and found satisfactory. The materials & workmanship were found to be good and sound.

Total Capacity of Generators 2.5 Kilowatts.

The amount of Fee £ 3 : 0 : 0 When applied for, 16.12.1931

Travelling Expenses (if any) £ : : When received, 31.12.31 H.W.S.

H. Waffar
Surveyor of Lloyd's Register of Shipping.

FRI. 8 JAN 1932.

Committee's Minute GLASGOW 29 DEC 1931

Assigned Elec. Light



© 2020

Lloyd's Register
Foundation