

F.E.

Received by Chief Ship Surveyor 7. 2. 14

Received from Chief Ship Surveyor

VESSEL'S NAME Steel Triple S.S. "ORDUNA"

Rpt. Bel Liv

No. 7328 70867

The remarks of the Chief Ship Surveyor are desired on this case for the consideration of the Classing Committee.

("The endorsement to contain a succinct summary of any repairs that have been required and to show the cause or causes of such repairs, and also to bring out clearly any exceptional features in connection with the case, so that the Classing Committee may have all the salient points presented in the endorsement." - Extract from Sub-Committee's Report, 24/5/92.)

Transverse No. 106.0

Depth "d" 17.85

Framing: Table No. 3 page 15

Description Channels as approved

Longitudinal No. 58300

Proportions Length = 11.7 Depth =

Awning Deck Sheerstrake as per Rule

Flat plate keel 1.23 in thickness and Flat bar 10" x 2" as approved to give equivalent strength in lieu of flat keel and doubling plate as required.

The Liverpool Surveyors report that the pumping arrangements have been completed at their port.


This vessel appears to have been built in accordance with the Rules and the approved plans, and it is submitted she is eligible to be classed \*100A1 ("Steel") "Awning Deck" with freeboard," as recommended. The Summer freeboard of 15' 0" from centre of disc to top of statutory deck line at Awning deck, now marked on the vessel's sides, to be inserted in the classification certificate, and recorded in the Register Book, and further, the remaining freeboards, as shown on the accompanying verification form to be inserted in the certificate of classification.

\*100A1 ("Steel") "Awning Deck with Freeboard"

2 Dks (Stl) & Awning Dk (Stl-ptWS), Shade Dk (Stl) 3rd Dk (Stl) in Nos. 1, 2 & 3 holds

WB = Cell DBa 145' u E & B 142', F188' 1898t, FPT211t, APT 125t

PK & BK 2", 10BH Cem Lloyd's A & CP



Vertical text on the right edge of the page, including 'No. of', 'No. of', 'found', 'Dk', 'bes.', 'e in', 'hip.', '1/4"', '3/4"', '8 61', '10 44', 'es Inc', 'p. in S', '6 in', '1 to', 'x 1', '24', '41', 'x 3', '30 sheet'