

LIST OF SPARE GEAR SUPPLIED TO

M/S "BOSTONIAN".

GLASGOW 1ST ENTRY REPORT NO. _____

MAIN MOTOR.

- 1 Pr. Connecting rod brasses, lower end, with bolts.
- 1 Pr. Do. upper end, with bolts.
- 1 Pr. Main bearing brasses of each size.
- 1 Piston complete with piston rod.
- 4 Sets piston rings.
- 12 Exht. valves with casing, springs &c. ready for use.
- 2 Starting valves with casing complete.
- 6 Fuel valves with seats complete.
- 2 rollers of each size with pins.
- 1 Set fuel oil pump pistons.
- 2 Sets air pump valves.
- 1 Safety valve for the air pump.
- 1 piston for the high pressure air pump with rings.
- 1 Pr. connecting rod brasses for the upper and lower end of the air pump connecting rod with bolts.
- 1 Complete set of springs for one engine.
- 1 Set of packings for all packings in one engine.
- 1 Set of bolts and studs for cylinder cover.
- 1 Cylinder cover.
- Expander for Fuel Valve Tubes.

MAIN ENGINE FUEL PUMPS.

- 1 Complete set of working parts.

AUXILIARY MOTOR.

- 1 Pr. Connecting rod brasses, upper end.
- 1 Pr. Do. lower end with bolts.
- 1 Pr. Main bearing brasses.
- 2 Sets piston rings.
- 8 Exhaust valves with casing.
- 4 Fuel valves with casing.
- 2 Sets air pump valves.
- 1/



© 2020

Lloyd's Register Foundation

W1081-0049 1/3
49 3/4

(2)

List of Spares (Contd).

Auxiliary Motor (Contd).

- 1 Set piston rings for one air pump.
- 1 Complete set of springs for one engine.
- 1 Set Valves for fuel pump.

Auxiliary Air Compressor.

- 1 Complete set of valves.
- 1 Set of piston rings.
- 1 Pr. connecting rod brasses, upper end.
- 1 Pr. Do. lower "

TUXHAM MOTOR.

- 1 Set of special tools.
- 1 Set springs.
- 1 Set packing for each cylinder.
- 4 Piston rings.
- 2 Carburettor Heads.
- 2 Injection mouth pieces.

AUXILIARY MACHINERY.

- 1 Set valves (Suction and delivery) Bilge pump.
- 1 " " Do. Ballast pump.
- 1 " " Do. F.W. and fuel oil.
- 1 " " Do. Piston Cooling and lub. pump.
- 1 " " for the Aux. H.P. Air Compr.
- 1 Spring for all sizes of safety valves.

Boiler.

- 1 Spring for safety valve.
- 1 Cone for feed valve.
- 1 Oil burner, complete.
- 1/2 Set of valves for feed pump.
- 6 water gauge glasses.

SHAFTING/

© 2020

Lloyd's Register
Foundation

W1081-0047

Minders

as per
waft
as fitte

the after

the line

d non-co

Length

Crank w

ceable je

at work

at work

at work

is connec

2, No

action fit

m Engin

oth

Pipes ab

ted with

l

l times

he bilges

Screw

ed from

N

ngth

Descrip

lates o

of ma

Mater

Back

e by r

rules

rial o

Vorki

k

per t

pitch

perheat

Description of lo

L

Pitch of rivets

Working pressure of shell by rules

Diameter of flue

Material of flue p

(3)

List of Spares (Contd).

SHAFTING.

- 1 Spare propeller shaft with right hand thread.
- 1 Set tunnel shaft coupling bolts and nuts.
- 2 Spare propeller blades, one right and one left hand.
- 1 Set crank shaft coupling bolts and nuts.
- 9 Studs and nuts for propeller blades.
- 1 Spanner for propeller studs.
- 1 Set spanners for coupling bolts.
- 1 Set propeller wedges.
- 2 Steel shores from after coupling tonstern tube, for wedging off propeller.

Cylinders
 as per rule
 shaft as fitted
 Is the after end
 If the liner do
 and non-corrosi
 Length of
 of Crank webs
 moveable
 is at work
 is, at work
 Purchase
 ons connected
 3 1/2 No 2
 Suction fitted
 on Engine ro
 with
 Pipes above
 tted with a s
 ul times
 he bilges
 Screw sh
 ed from
 No
 No.
 igh
 Descrip.
 lates or
 of man
 Materi
 Back
 e by ru
 rules
 rial of
 Vorkin
 k
 ver t
 pitch
 per heat
 Description of lo



© 2020

Lloyd's Register Foundation

W1081-0049 3/3

holes Pitch of rivets Working pressure of shell by rules Diameter of flue Material of flue p
 End plates: Thickness