

In damage cases where the Surveyor has not made a special damage report he is required to state whether he

W1083-0046

Copy for London.

Aberdeen.

28th March, 1950.

Dear Sirs,

s. s. "City of Edinburgh".

Further to our letter of 24th instant, we now enclose copy of a letter which we have to-day received from the Department of Scientific & Industrial Research Food Investigation regarding the disposal of this vessel.

We have notified the London office.

We are, Dear Sir,  
Yours faithfully,

*R. West*  
For the Surveyors.

The Secretary,  
Glasgow.

Keelsons \_\_\_\_\_  
Stringers \_\_\_\_\_

efficient? \_\_\_\_\_  
Have Ventilators and their Coamings been

Timbers of Frame at openings \_\_\_\_\_  
" " at other places \_\_\_\_\_

*Exam*  
board ( \_\_\_\_\_  
Ship an \_\_\_\_\_  
by who \_\_\_\_\_  
*50*  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
Other \_\_\_\_\_  
Cop \_\_\_\_\_  
Wh \_\_\_\_\_  
Bo \_\_\_\_\_  
Ma \_\_\_\_\_  
Con \_\_\_\_\_  
Equ \_\_\_\_\_  
An \_\_\_\_\_  
Cab \_\_\_\_\_  
" \_\_\_\_\_  
" \_\_\_\_\_  
Cha \_\_\_\_\_

