

GENERAL REMARKS—(continued).

Pillars No. 1 Lower hold 10 x 3½ x 3½ x .50 double C, 2 face plates 12 x .50 with -5 doubling plates riveted to face plates for full height of pillar
 " " " " 10 x 3½ x 3½ x .55 double C, 2 face plates 12 x .56 do
 " " 2 " " 12 x 3½ x 3½ x .50 double C, 2 face plates 13 x .70
 " " 2 " " 10 x 3½ x 3½ x .50 double C, 2 face plates 12 x .50 doubling plates same No. 1 hold
 " " " " 10 x 3½ x 3½ x .55 double C, 2 face plates 12 x .62 do
 " " 3 " " 10 x 3½ x 3½ x .50 double C, 2 face plates 11 x .42
 " " 4 " " 12 x 3 7/16 x 7/16 x .44
 " " " " 10 x 3½ x 3½ x .48 2 face plates 11 x .42
 " in tween decks 8 x 3½ x 3½ x .625 double C, to 8 x 3½ x 3½ x .50
 to 7 x 3½ x 3½ x .40 double C.

Name.	Mark.	Material.	Where made.	Where tested.	Surveyor's Mark.	Date.
Stern Frame	I.S. 25	C. S.	Kobe S. W.	Kobe	R. O. B.	21-2-18.
Rudder Frame	I.R. 9.	Steel	Kobe S. W.	Kobe	L. R.	9-5-18.
Rudder Head		F. Steel	Ishikawajima	Tokyo	J. S. C.	24-7-18
Stern Upper	I.S. 13.	F. S.	Kobe S. W.	Kobe	I.S. 13.	16-5-18.
Stern Lower	I.S. 19.	F. S.	Kobe S. W.	Kobe	I.S. 19.	16-5-18.

Record for Register Book, P. 24'- 9, B. 93'- 9, F. 33'
 W. B. = Cell D. B. a 90' u E & B. 39' f 133½ tons
 F. P. T. 58 t, a P T. 56 t,
 F. K. 5 B H Cem

PARTICULARS FOR RECORD in the REGISTER BOOK.—Length of Poop 29.7 ft., R.Q.D. x ft., Bridge 91.9 ft., Forecastle 25' ft.
 (in feet and tenths). When the Poop is joined to the B.D., this should be distinctly stated x

No. and Material of Decks (if Iron or Steel) and whether wholly or partially covered with wood, and No. of tiers of Beams (this information is to be given as it should appear in the Register Book) 2 Steel Decks
 Official No. ; Signal Letters State if Machinery is fitted aft No
 How are the surfaces preserved from oxidation? Inside Double bottom to turn of bilge Outside Paint
 cement elsewhere paint.

PARTICULARS OF WATER BALLAST.—State whether the Double bottom is constructed on the cellular system or with girders on floors. cellular

Where Fitted.	*Length.		Water Capacity.	Where Fitted.	*Length.		Water Capacity.
	Feet.	Tons.			Feet.	Tons.	
Double bottom, aft,	90.00	171		Fore peak tank,	16	58	
Double bottom, under Engines and Boilers,	38.99	109		After peak tank,	14	56	
Double bottom, if under Engines only,	x			Deep tank, aft,			
Double bottom, if under Boilers only,	x			Deep tank, forward,			
Double bottom, forward,	132.7	307		Other tanks, if fitted,			
		587		(If necessary, furnish further information by sketch.)			

* The wells are not to be included in the lengths of the tanks.

State whether the above have been tested as required by the Rules. Yes

Order for Special Survey No.

Date 1 - 10 - 17

No. 312 in builder's yard.

Dates of Surveys held while building

Jan'y 18, Feby 5, 8, 21, 23, March 15, April 4, 16, 22, 27, 30,
 May 13, 24, June 7, 14, 19, 27, July 3, 6, 10, 15, 20, 24, 27,
 31, August 2, 12, 14, 17, 22,

Total No. of Visits 30

Surveyor's Signature

James Cairns

© 2020

Lloyd's Register Foundation