PORT of ROTTERDAM

W1111 - 0113

Received by Chief Ship Surveyor 20. 5. 01 Received from Chief Ship Surveyor

SSEL'S NAME Steel S.S. No 107 Report Rot No. 3164

The remarks of the Chief Ship Surveyor are desired on this case for the consideration of the Classing Committee.

("The endorsement to contain a succinct summary of any repairs that have been required and to show the cause or causes of such repairs, and also to bring out clearly any exceptional features in connection with the case, so that the Classing Committee may have all the salient points presented in the endorsement."—*Extract from Sub-Committee's Report*, 24/5/92.)

ture of Survey 1st entry.

It is submitted that before this case receives the consideration of the Committee, the Newcastle Surveyors should be informed that a first entry report has been received from the Rotterdam Surveyors in which it is stated that the Engines and Boilers will be fitted at South Shields, and that the plating on top of casing aft will require to be further dealt with after the machinery has been fitted on board. They also state that a stream anchor has been supplied, but without a certificate, and that it has been arranged that a new anchor in lieu thereof, with proper certificate will be supplied at South Shields. The Newcastle Surveyors should therefore be requested to give these matters the necessary attention, and to report on the same in due course.

Fr to Nwc. 21/5/01

freeboard report

The Rotterdam Surveyors should be requested to state (the moulded depth and the round of beam, also) the depth and thickness of the middle line keelson 12×7/20 intercostal plate, as these are omitted on their report. They should be informed it is concluded that in addition to the bulkheads (two in number) extending to the height of the deck, as stated on their report, there is another watertight bulkhead, viz;- right aft, extending to the height of the watertight flat, but they should state if this is so.

held 5-3/4 round of beam

Fr. to Rot. 21/5/01

C.H.G. 21/5/01

© 2020 Lloyd's Register Foundation

" Quarter, Tween Dks., " " Supplied in lieu of raised quarter deck.

" " in Hold " "

WEB FRAMES, In Fore Body, No. and Spacing

Breadth & Thickness

" Tie Plates

" Deck, Material and thickness Pine 2½

* If Iron or Steel Deck, state if whole or part, and