

Do. of Forecastle 37.28  
 Do. of Houses on Dk. 113.51  
 Do. of excess of Hatchways 29.69  
 Do. above Crown of 81.78

Length on deck from fore part of stem to after part of stern post } 251.0  
 Longitudinal Number 16691

When built 1910  
 Launched  
 By whom built Port Arthur Ship

5c, 12, 16.

F.E.

Received by Chief Ship Surveyor

Received from Chief Ship Surveyor

VESSEL'S NAME Steel S.S. "WAR KARMA". Rpt. No.

The remarks of the Chief Ship Surveyor are desired on this case for the consideration of the Classing Committee.

("The endorsement to contain a succinct summary of any repairs that have been required and to show the cause or causes of such repairs, and also to bring out clearly any exceptional features in connection with the case, so that the Classing Committee may have all the salient points presented in the endorsement."—Extract from Sub-Committee's Report, 24/5/32.)

Transverse No. 66.5 Depth "d" \* 19.67

Framing: Table No. 3 page Description Channel as approved.

Longitudinal No. 16691

Proportions  $\frac{\text{Length}}{\text{Depth}} = 8.3$

Bridge Deck Sheerstrake as approved.

This vessel retains her class for a period of more than 15 years, subject to special surveys as required by the Rules.


This vessel appears to have been built in accordance with the Rules and the approved plans, and it is submitted she is eligible to be classed \* 100 A.1. (Steel) as recommended.

1 Dk. (Steel).  
 Cell DB 226' 526t. FPT 80t. APT 78t.  
 FK. 4 BH. Cem. A. & C.P. P25', B64', F28'.

*It is concluded (with 16 on 85 hatchways)*  
 It is concluded the rivets in the butts of bridge poop and forecastle side plating and spaced  $3\frac{1}{2}$  diameters apart as required, and that a semi box beam is fitted to collision bulkhead, but the Surveyors should state if this is so.

*M*  
 6. 1. 19.

|                        |       |
|------------------------|-------|
| Inches Spacing in Ship | 28.5  |
| Inches in Ship         | ✓     |
| Inches in Ship         | 2.5 ✓ |
| Inches in Ship         | 15.5  |
| Inches in Ship         | 16.5  |
| Inches in Ship         | 16.5  |
| Inches in Ship         | 12.5  |
| Inches in Ship         | 12.5  |
| Inches in Ship         | 12.5  |
| Inches in Ship         | 16.5  |



|  |    |      |    |   |      |    |  |           |
|--|----|------|----|---|------|----|--|-----------|
| BEAMS, Poop Deck, Angle, Bulb Angle, Plate, Tee Bulb, or Channel | 6  | 2.81 | 13 | 6 | 2.81 | 13 | Deck, Material and thickness Steel & Wood      | 10.25     |
| Angles on upper edge   |    |      |    |   |      |    | Bridge Deck Stringer Plate, br'dth & thickness | 4.2 1.4   |
| Spacing  | 20 |      | 20 |   |      |    | Angle on ditto                                 | 3 X 3 8.5 |
|  |    |      |    |   |      |    | Tie Plates                                     |           |
|  |    |      |    |   |      |    | Deck, Material and thickness Steel             |           |