

Total Depth, at middle of length from top of keel to top of beam at side of uppermost continuous deck. See Sec. 3 (1c) } D 32.75 / Owners ELLERMAN LINE
 Gross Tonnage 3136.04
 Register Tonnage 1401.28 1st Longitudinal Number (L x D)..... = 11094.06 Managers ELLERMAN & PA
 (Where necessary to be entered in Reg. Book.)

Fees paid

F.E.
(FBD.)

by Chief Ship Surveyor Received from Chief Ship Surveyor

EL'S NAME "BELGRAVEAN" Rpt. Hpl. No. 17734

Remarks of the Chief Ship Surveyor are desired on this case for the consideration of the Classing Committee.

("The endorsement to contain a succinct summary of any repairs that have been required and to show the cause or causes of such repairs, and also to bring out clearly any exceptional features in connection with the case, so that the Classing Committee may have all the salient points presented in the endorsement."—Extract from Sub-Committee's Report, 24/5/92.)


1st Long. No. 11094.06 Depth "d" 19.83
 2nd Long. No. 27973.98 Proportions = $\frac{L}{D}$ 10.34
 Framing Bulb angle frames as approved Sheerstrake as approved (plus increase)

The scantlings of this vessel are as required for a full scantling ship, (see endorsement 25.6.36.) and ~~is~~ is a sister ship to the "MALVERNIAN". This vessel appears to have been built in accordance with the Rules and the approved plans, and it is submitted she is eligible to be classed ~~as~~ "100A1 With Freeboard"

The Summer Freeboard as shown on the attached extract from the Freeboard Verification Form, now marked on the vessel's sides, to be inserted in the classification certificate and recorded in the Register Book, and further, the remaining freeboards, as shown on the accompanying extract, to be inserted in the certificate of classification.

- 1 Dk. and Shelter Dk.
- Cell.DB.291' 745t, FPT 24t, APT 11t.
- F.K., 7 BH (Coll.BH to Shelter Dk. 6 BH to 2nd Dk.) pt.Cem., Lloyd's A & CP.
- F. 29'
- O.L. 361'.

22.9.37



INCHES
6
5 1/2
8
4 1/2
3
4
One
3 1/2
6
As per
Mid
As per
5.7
As per
As per
Mid
6 1/2
7 1/2
40
70
7
8

DOUBLE BOTTOM.
 Solid Floors, thickness and spacing 38" @ 58"
 Bridge Deck, Angle, [or [.....
 Spacing.....