

17/10/30

NOS. 531 & 532.

THE UNDERNOTED EXTRA SPARE GEAR TO BE SUPPLIED AND
COSTED AGAINST THE UNDERNOTED SECTIONS.

THE QUANTITIES GIVEN BELOW ARE FOR NO. 531 SHIP

CHARGE TO:

4 Cylinder liners complete with packing rings.	531 Extra spares (1)
2 Pistons and skirts complete without running pipe.	531 Extra spares (2)
2 Cylinder covers complete.	531 Extra spares (3)

REPEAT THE ABOVE FOR NO. 532

CHARGING TO NO. 532 Extra spares (1), (2) and (3)
respectively.



© 2020

Lloyd's Register
Foundation

W1153-0209 2

NO. 531 (4)

ADDITIONAL SPARE GEAR

- 3 Cylinder relief valves.
- 6 Copper joints for H.P. compressor valves.
- 36 Valves for scavenge manifold.
- 2 Blast air gauges.
- 1 Pressure gauge, crosshead lubricating oil.
- 9 Fuel non return valves, special C.I.
- 36 Inner and 36 outer pulverizer plates, cast iron.
- 4 Fuel non return valve caps, steel.
- 4 Sets piston cooling packing rings.
- 1 set seats, springs and guards for one main compressor.
- 1 Doz. explosion discs, lead.
- 18 Fuel valve tappet discs (case hardened).
- 3 Fuel pump discharge caps.
- 2 Piston cooling stand. pipe brackets (C.I.) 1 Rt. hand & 1 Lt. hand.
- 2 Piston cooling pipes (moving) "Aeterna"

FOR REAVELL COMPRESSORS

- 48 - 3rd stage springs)
- 32 " " valves)
- 2 sets each I.P. & L.P. valves)
- 48 springs for above.)

FOR RUSTON & HORNSBY GENERATORS

- 5 Exhaust valves, complete with chests and springs)
- 9 Piston rings)
- 3 scraper rings.)

FOR "VICKEN" PURIFIERS

- 12 Ferodo linings for clutch.
- 6 " " " brake.
- 2 Chains (1 for oil pump, 1 for purifier).
- 6 Float suspension wires for bilge pumps.
- 2 Indicator gear straps, cast iron.
- 2 " " brackets " "

ABOVE IS FOR NO. 531(4)

REPEAT FOR NO. 532(4)



© 2020

Lloyd's Register
Foundation

W1153-020912

to be un-
any inacc-
publicatio-
of the Soc-

(18th) June 1882. 61. 91. 21. 11. 01. 8. 5. 4. 5. 5. 1. 30. 80. 70. 42. 42. 12. 91. 71. 21. 0. 7. 9. 3. 1

141153-0504

REPORT FOR NO. 532(V)

ABOVE IS FOR NO. 531(V)

- 2 Indicator gear straps, cast iron.
- 6 float suspension wires for oilge pumps.
- 2 Chains (1 for oil pump, 1 for purifier).
- 12 Perodo linkage for clutch.

FOR "VIOKOR" PURIFIERS

- 3 scraper rings.
- 3 piston rings
- 2 Exhaust valves, complete with chests and springs

FOR PISTON & HORSEY GENERATORS

- 48 springs for above.
- 2 sets each I.P. & L.P. valves
- 2 3/4" id rings

FOR HEAVY COMPRESSORS

- 3 piston cooling pipes (moving) "Aeterna"
- 1 piston cooling stand. pipe prockete (C.I.) 1 Rt. hand & 1 Lt. hand.
- 1 Fuel pump discharge caps.
- 18 Fuel valve tappet discs (case hardened).
- 1 Cox. explosion discs, lead.
- 3 set seats, springs and glands for one main compressor.
- 4 sets piston cooling packing rings.
- 4 Fuel non return valve caps, steel.
- 36 inner and 36 outer pulverised glass, sent from.
- 2 Fuel non return valves, special G.I.
- 1 Pressure tanks, chromiumed impregnated oil.
- 36 valves for scavange manifold.
- 6 Cooper joints for H.P. compressor valves.
- 3 Cylinder relief valves.

ADDITIONAL SPARE GEAR

NO. 531 (V)

GLASGOW REPORT No. 51471

