

at
lb.
9
Size of opening
1 1/2 dia.

Feet
3/6

No. 65550

REPORT ON ELECTRICAL EQUIPMENT.

(OTHER THAN FOR THE PROPULSION OF THE VESSEL) 17 JUN 1942

Apt. 13.
Date of writing Report. 18th MAY 1942 When handed in at Local Office. 13:6:42 Port of GLASGOW
Received at London Office.

No. in Survey held at GLASGOW Date, First Survey 16:4:42 Last Survey 21:5:42
Reg. Book. 55733 on the M.V. "BRITISH VIGILANCE" (Number of Visits 5)

Built at GLASGOW By whom built HARLAND & WOLFF LTD. Yard No. 1116 G. Tons { Gross 8100 Net 4750
When built 1942
Owners BRITISH TANKER CO. LTD. Port belonging to LONDON.

Electrical Installation fitted by HARLAND & WOLFF LTD. Contract No. - When fitted 1942
Is vessel fitted for carrying Petroleum in bulk YES Is vessel equipped with D.F. YES E.S.D. YES Gy.C. - Sub.Sig. -

Have plans been submitted and approved YES System of Distribution TWO WIRE - D.C. Voltage of supply for Lighting 110

Heating - Power 110 Direct or Alternating Current, Lighting D.C. Power D.C. If Alternating Current state frequency - Prime Movers,

has the governing been tested and found efficient when the whole load is suddenly thrown on and off YES Are turbine emergency governors fitted with a
trip switch as per Rule - Generators, are they compound wound YES, are they level compounded under working conditions YES

If not compound wound state distance between generators - and from switchboard - Where more than one generator is fitted are they
arranged to run in parallel NO, are shunt field regulators provided YES Is the compound winding connected to the negative or positive pole

POSITIVE. Have machines over 100 kw. been inspected by the Surveyors during manufacture and testing - Have certificates of
test for machines under 100 kw. been supplied YES and the results found as per rule YES Are the lubricating arrangements and the construction

of the generators as per rule YES Position of Generators IN ENGINE ROOM

is the ventilation in way of generators satisfactory YES are they clear of inflammable material YES, if situated
near unprotected combustible material state distance from same horizontally - and vertically - are the generators protected from mechanical

injury and damage from water, steam and oil YES, are the bedplates and frames earthed YES and the prime movers and generators in metallic
contact YES Switchboards, where are main switchboards placed NEAR GENERATORS

are they in accessible positions, free from inflammable gases and acid fumes YES, are they protected from mechanical injury and damage from water, steam
and oil YES, if situated near unprotected combustible material state distance from same horizontally - and vertically - what insulation

material is used for the panels SINDANYO, if of synthetic insulating material is it an Approved Type YES, if of
semi-insulating material (slate or marble) are all conducting parts insulated therefrom as per Rule - Is the frame effectually earthed YES

is the construction as per Rule YES, including accessibility of parts YES, absence of fuses on the back of the board YES, individual fuses

on pilot and earth lamps, voltmeters, etc. YES locking of screws and nuts YES, labelling of apparatus and fuses YES, fuses on the "dead"
side of switches YES Description of Main Switchgear for each generator and arrangement of equaliser switches.

DOUBLE POLE CIRCUIT BREAKER WITH OVERLOAD RELEASE.

and for each outgoing circuit DOUBLE POLE CHANGEOVER SWITCH AND DOUBLE POLE
FUSES.

Are compartments containing switchboards composed of fire-resisting material or lined as per Rule YES Instruments on main switchboard Two
ammeters Two voltmeters - synchronising devices. For compound machines in parallel is the ammeter connected on the pole opposite to the

equaliser connection - Earth Testing, state means provided EARTH LAMPS

Switches, Circuit Breakers and Fuses, are they as per Rule YES, are the fuses an approved type YES, are all fuses labelled as per Rule YES, are the reversed current protection devices connected on the pole opposite to the equaliser connection —, have they been tested under working conditions —. Joint Boxes, Section Boards and Distribution Boards, is the construction and position as per Rule YES.

Cables, are they insulated and protected as per the appropriate Tables of the Rules YES, if otherwise than as per Rule are they of an approved type —, state maximum fall of pressure between bus bars and any point under maximum load 4.9 VOLTS, are the ends of all cables having a sectional area of 0.04 square inch and above provided with soldering sockets YES. Are paper insulated and varnished cambric insulated cables sealed at the exposed ends — with insulating compound — or waterproof insulating tape —. Are all the cable runs in accessible positions, not exposed to drip or accumulation of water or oil, high temperatures or risk of mechanical damage YES, are cables laid under machines or floorplates NO, if so, are they adequately protected —. Are cables in machinery spaces, galleys, laundries, etc., lead covered YES or run in conduit —. State how the cables are supported and protected MAINS - LEAD COVERED ARMOURD AND BRAIDED CLIPPED TO STEEL TRAY IN ENGINE ROOM AND RUN IN PIPES ALONG OPEN DECK - ACCOMMODATION SPACES LEAD COVERED CLIPPED.

Are all lead sheaths, armouring and conduits effectually bonded and earthed YES. Refrigerated chambers, are the cables and fittings as per Rule —. Are all cables passing through decks and watertight bulkheads provided with deck tubes or watertight glands YES, where unarmoured cables pass through beams, etc., are the holes effectually bushed YES and with what material LEAD. Alternative Lighting, are the groups of lights in the engine and boiler rooms arranged as per Rule YES. Emergency Supply, state position — and method of control —. Navigation Lamps, are they separately wired YES controlled by separate double pole switches YES and fuses YES. Are the switches and fuses in a position accessible only to the officers on watch YES, is an automatic indicator fitted YES. Secondary Batteries, are they constructed and fitted as per Rule —, are they adequately ventilated —.

Fittings, are all fittings on weather decks, in stokeholds and engine rooms and wherever exposed to drip or condensed moisture, weatherproof YES. Are fittings installed where readily combustible materials or inflammable or explosive dust or gases are likely to be present YES, if so, how are they protected BY. SPECIAL GASTIGHT FITTINGS WIRED WHOLLY FROM OUTSIDE SPACES WITH L.C.A.B. CABLE.

and where are the controlling switches fitted AT DISTRIBUTION BOXES REMOTE FROM SPACES, are all fittings suitably ventilated YES, are all fittings and accessories constructed and installed as per Rule YES. Searchlight Lamps, No. of ONE, whether fixed or portable PORTABLE, are their fittings as per Rule YES. Heating and Cooking, is the general construction as per Rule —, are the frames effectually earthed —, are heaters in the accommodation of the connection type —. Motors, are all motors constructed and installed as per Rule YES and placed in well-ventilated compartments in which inflammable gases cannot accumulate and free from damage from water, steam and oil YES, if situated near unprotected combustible material state minimum distance from same horizontally — and vertically —.

Have motors of 100 BHP and over been inspected by the Surveyors during manufacture and testing —. Have certificates of test for motors under 100 BHP intended for essential services been supplied and the results found as per Rule YES. Control Gear and Resistances, are they constructed and fitted as per Rule YES. Lightning Conductors, where required are they fitted as per Rule YES. Ships carrying Oil having a Flash Point less than 150° F. Have all the special requirements of the Rules for such ships been complied with YES, are all fuses of the cartridge type YES are they of an approved type YES. If portable lamps for use in dangerous spaces are supplied, are they of a self-contained battery-fed flameproof type YES. Spare Gear, if the vessel is for open sea service have spares been provided as per Rule YES, are they suitably stored in dry situations YES. Insulation Tests, has the insulation resistance of all circuits and apparatus been megger tested and found satisfactory YES.

PARTICULARS OF GENERATING PLANT.

DESCRIPTION OF GENERATOR.	No. of	RATED AT				DRIVEN BY	WHERE DRIVEN BY AN INTERNAL COMBUSTION ENGINE.	
		Kilowatts.	Volts.	Ampères.	Revs. per Min.		Fuel Used.	Flash Point of Fuel.
MAIN ...	2	30	110	273	550	STEAM ENGINES		
EMERGENCY ...								
ROTARY TRANSFORMER								

GENERATOR CABLES.

DESCRIPTION.	KILOWATTS.	CONDUCTORS.		MAXIMUM CURRENT IN AMPERES.		APPROX. LENGTH (lead plus return feet).	INSULATED WITH.	HOW PROTECTED.
		No. in Parallel Per Pole.	Sectional Area or No. and Dia. of Strands. Sq. ins. or sq. mm.	In the Circuit.	Rule.			
MAIN GENERATOR (FORWARD) No. 1	30	1	6/093	273	288	40	RUBBER	L.C.A.B.
" " EQUALISE								
MAIN GENERATOR (AFT) No. 2	30	1	6/093	273	288	36	"	"
EMERGENCY GENERATOR								
ROTARY TRANSFORMER: MOTOR								
" " GENERATOR								

MAIN DISTRIBUTION CABLES.

DESCRIPTION.	KILOWATTS.	CONDUCTORS.	MAXIMUM CURRENT IN AMPERES.	APPROX. LENGTH (lead plus return feet).	INSULATED WITH.	HOW PROTECTED.		
AUX. SWITCHBOARDS AND SECTION BOARDS								
VENTILATION FAN D.B. F1		1	19/064	78.4	83	180	RUBBER	L.C.A.B.
ENGINE ROOM MOTORS D.B. M.1.		1	19/072	77.2	97	60	"	"
D/G INSTALLATION		1	19/088	117.5	118	50	RUBBER	L.C.A.B.

LIGHTING AND HEATING, ETC., CABLES.

DESCRIPTION.	KILOWATTS.	CONDUCTORS.	MAXIMUM CURRENT IN AMPERES.	APPROX. LENGTH (lead plus return feet).	INSULATED WITH.	HOW PROTECTED.		
WIRELESS		1	19/052	50	64	60	RUBBER	L.C.A.B. + L.C.
NAVIGATION LIGHTS		1	7/064	19	46	60	"	L.C.A.B. + L.C.
LIGHTING AND HEATING								
LIGHTING ETC. FORWARD + MIDSHIPS (S.B. No. 2)		1	19/083	107	118	600	RUBBER	L.C.A.B.
" " AFT + POOP (S.B. No. 2)		1	19/052	45	64	120	"	"
" " ENGINE + BOILER ROOMS (S.B. No. 4)		1	7/064	43	46	60	"	"
DECK PORTABLE CONNECTIONS (S.B. No. 2)		1	7/064	33	46	120	"	"

MOTOR CABLES.

ALL IMPORTANT MOTORS TO BE ENUMERATED.	No.	B.H.P.	CONDUCTORS.	MAXIMUM CURRENT IN AMPERES.	APPROX. LENGTH (lead plus return feet).	INSULATED WITH.	HOW PROTECTED.	
TURNING GEAR	1	10	19/064	80	83	120	RUBBER	L.C.A.B.
ENGINE ROOM VENT. FAN	1	1.5	7/029	12.4	15	150	"	"
AFT. ACCOM. VENT. FAN	1	4	7/052	33	37	130	"	"
MIDSHIP ACCOM. VENT. FAN	1	4	19/052	33	64	720	"	L.C.A.B. + L.C.
WORKSHOP MOTOR	1	3	7/044	27	31	90	"	L.C.A.B.
FUEL OIL PURIFIER	1	3	7/044	25.1	31	180	"	"
LDB. OIL PURIFIER	1	3	7/044	25.1	31	100	"	"

The Electrical Equipment is installed in accordance with the approved plans and the requirements of the Rules.
 All Insulated Conductors are guaranteed to have been tested at the maker's works as specified in the Rules.
 The foregoing is a correct description.

For HARLAND AND WOLFF, LIMITED

R. J. Allen
 Govan Secretary

Electrical Engineers.

Date 9th June 1942

COMPASSES.

Minimum distance between electric generators or motors and standard compass 15 FEET FROM MIDSHIP VENT. FAN.

Minimum distance between electric generators or motors and steering compass 20 FEET FROM MIDSHIP VENT. FAN.

The nearest cables to the compasses are as follows:—

A cable carrying 19.0 Ampères 5 feet from standard compass 7 feet from steering compass.

A cable carrying 0.1 Ampères LED INTO feet from standard compass 6 feet from steering compass.

A cable carrying 0.1 Ampères 6 feet from standard compass LED INTO feet from steering compass.

Have the compasses been adjusted with and without the electric installation at work at full power Yes

Has the effect of switching on and off circuits, motors and other electro-magnetic apparatus within the vicinity of the compasses been noted Yes

The maximum deviation due to electric currents was found to be Nil degrees on any course in the case of the

standard compass, and Nil degrees on any course in the case of the steering compass.

For HARLAND AND WOLFF, LIMITED

R. J. Allen
 Govan Secretary

Builder's Signature.

Date 9th June 1942

Is this installation a duplicate of a previous case No. If so, state name of vessel

General Remarks (State quality of workmanship, whether insulation tests, etc., have been made, opinions as to class, etc.)

The electrical equipment of this vessel has been fitted on board under special survey, tested under full working conditions and found to be satisfactory. The material and workmanship are good.

Noted
 L.Y.
 18/6/42

206
 13/6/42

Total Capacity of Generators 60 Kilowatts.

The amount of Fee ... £ 28 : 10 : { When applied for, 2/6/42

Travelling Expenses (if any) £ : : { When received, 13/6/42

R. P. Stone
 Surveyor to Lloyd's Register of Shipping.

Committee's Minute GLASGOW 16 JUN 1942

Assigned See Price Entry Report

2m.10.33.—Transfer. (MADE IN ENGLAND.)
 (The Surveyors are requested not to write on or below the space for Committee's Minute.)