

WEB FRAMES. Inches in Ship. Inches in Ship. Inches per Rule. Inches per Rule. FORGINGS or CASTINGS. Inches in Ship. Inches per Rule. Or as Approved. WEB-FRAMES, In Fore Body, No. and spacing brdth. & thickness No of Side Stringers WEB-FRAMES, In E. & B. Space, No. & spacing brdth. & thickness WEB-FRAMES, In After Body, No. and spacing brdth. & thickness No. of Side Stringers Size of Face Angles to Web-Frames BRACKET PLATES to Stringers between Web Frames, depth and thickness

BULKHEADS. Number. Thickness. STIFFENERS. Single or Double Frames. Height up. W.T. BULKHEADS COLLISION PARTITION LONGITUDINAL. RUDDER, how constructed Thickness of Plates or Single Plate Can the Rudder be unshipped afloat? Manufacturer's name or trade mark of the Iron or Steel (state process of manufacture of Steel) used for Frames, Floors, Beams, Keelsons, Tie and Stringer Plates, Plating, &c. Has the Steel been tested as required by the Rules?

PLATING. STRAKES. AS IN SHIP. PER RULE OR AS APPROVED. EDGES. BUTTS. IF LAPPED. Flat Plate Keel Garboard of A Strake B C D E F G H J K L M N O P Q R S T U V W TH'KNES OF SH'ER STRAKE CLEAR OF LONG BRIDGE DO. OF STRAKE BELOW DBLG. of Flat Plate Keel Sheerstrakes POOP SIDES SHORT BRIDGE SIDES FORECASTLE SIDES

Awning or Shelter Deck Stringer Plate Upper Deck Stringer Plate Butts, quad riveted for Straps, single, double or overlapped for Butts, treble riveted for Straps, single or overlapped for Butts of Side Stringers Tie Plates Inner Bottom Plating, riveting of Edges Centre Girder Butts, Keelson Butts, Frames, riveted through Plates with Rivets, state whether Iron or Steel

FRAMES extend in one length from REVERSED FRAMES on floors and frames extend from State if ordinary or joggled

MASTS, SPARS, &c. Material. Total Length. DIAMETER AND THICKNESS. No. of Plates in round. ANGLES. RIVETING. Fore Main Mizzen Bowsprit Topmasts, Yards and Remainder of Spars Rigging, Material and Size, Shrouds Sails, One fore stay sail only

GENERAL REMARKS—(continued).

PARTICULARS FOR RECORD in the REGISTER BOOK.—Length of Poop *44.5* ft., R.Q.D. _____ ft., Bridge *271-7/8* ft., Forecastle *73.6* ft. (in feet and tenths). When the Poop is joined to the B.D., this should be distinctly stated.

No. and Material of Decks (if Iron or Steel) and whether wholly or partially covered with wood, and No. of tiers of Beams (this information is to be given as should appear in the Register Book) *Two dks steel. Shelter deck steel teak sheathed, 3 tiers of beams & Orlop beams in No. 1 hold.*
 Official No. _____; Signal Letters _____ State if Machinery is fitted aft *No.*
 How are the surfaces preserved from oxidation? Inside *Paint & Cement* Outside *Anti fouling & Anti Corrosion Compound*

PARTICULARS OF WATER BALLAST.—State whether the Double bottom is constructed on the cellular system or with girders on floors *Cell double bottom*

Where Fitted.	*Length. Feet.	Water Capacity. Tons.	Where Fitted.	*Length. Feet.	Water Capacity. Tons.
Double bottom, aft, <i>HOLD NO. 3</i>	<i>106.4</i>	<i>52.6</i>	Fore peak tank,	<i>28.25</i>	<i>59.6</i>
Double bottom, <i>WOODEN</i> <i>and Boilers, FRESH WATER</i>	<i>30.9</i>	<i>73.0</i>	After peak tank,	<i>22.15</i>	<i>65.1</i>
Double bottom, if under Engines only, <i>4 tanks 2x28 1/2</i>	<i>57.4</i>	<i>229.8</i>	Deep tank, aft,		
Double bottom, if under Boilers only, <i>dry tank</i>	<i>50.8</i>		Deep tank, forward,		
Double bottom, forward,	<i>150.0</i>	<i>437.6</i>	Other tanks, if fitted,		
Total capacity of double bottom		<i>886.8</i>	(If necessary, furnish further information by sketch.)		

* The wells are not to be included in the lengths of the tanks.

State whether the above have been tested as required by the Rules. *Yes, Satisfactory*

Order for Special Survey No. *29.*

Date *23 February 1910*

No. *108* in builder's yard.

DATES OF SURVEYS held while building

13 & 29 April, 31 May, 24 June, 1, 6 & 12 June, 5, 13, 19, 23 & 25 August, 3, 6, 10, 13, 15, 29 September, 11, 15, 19, 26 & 31 October, 12, 21, 25, 29 & 30 November, 14, 23 & 27 December 1910. 7 & 13 January, 1, 6 & 17 February, 22 March, 8 & 29 April, 16, 26 & 29 May 7 & 23 June, 3, 11, 12, 20 & 22 July 1911

Total No. of Visits *49.*

Surveyor's Signature

[Signature]
 Lloyd's Register Foundation