

W1219-0015

F.E.

by Chief Ship Surveyor

Received from Chief Ship Surveyor

L'S NAME Steel S.S. "FOANA" Rpt. Mar. No. 10610

or "WAR CRAFT"
 remarks of the Chief Ship Surveyor are desired on this case for the consideration of the Classing Committee.

("The endorsement to contain a succinct summary of any repairs that have been required and to show the cause or causes of such repairs, and also to bring out clearly any exceptional features in connection with the case, so that the Classing Committee may have all the salient points presented in the endorsement."—Extract from Sub-Committee's Report, 24/5/92.)

Transverse No. 8558 Depth "d" 24.4'

Stowage: Table No. - Description Frames & Reversed Frames

Longitudinal No. 35216

Proportions $\frac{\text{Length}}{\text{Depth}} = \underline{10.78}$

Shelter Deck Sheerstrake as approved

This vessel is built with straight frames and a bevelled bilge; the special notation "Straight frames, Bevelled Bilge" has been approved in such cases.

The Downton Pump has been dispensed with for the present, but it is concluded the owners are agreeable to fit same when requested.

This vessel appears to have been built in accordance with the rules and the approved plans, and it is submitted she is eligible to be classed 100 A. 1. (steel) "Shelter Deck" with the notation "Straight frames, Bevelled Bilge" with freeboard, "A" as recommended. The Summer freeboard of 10'-1" from centre of disc to top of statutory deck line at Shelter deck, now marked on the vessel's sides, to be inserted in the classification certificate, and recorded in the Register Book, and further, the remaining freeboards, as shown on the accompanying verification form to be inserted in the certificate of classification.

1 Dk. (steel) & Shelter Dk. (steel)
 Cell DB 344' 1482t. DTa 23' 846t. FPT 97t. APT 119t.
 FK. 5BH to Shelter Dk. 3BH to Upper Dk. ph.com. Lloyd's A+C.P. F41 on Shelter Dk.

The Certificate of Classification, to be endorsed "Cargo battens not fitted," and the same notation to be printed in the Register Book.

200 m. Cable
 W/S/10

11-3-20
 AEB.
 Lloyd's Register
 Foundation

It is concluded, the test of chain cable (certificate No 12028) has been given in error for the weight, but the Surveyors should be requested to state if this is so