

Do. of Poop
Do. of R.Q.Dk.
Do. of Bridge House

Depth, at middle of length from top of keel to top of
upper deck beams at side.....
Transverse Number.....

9'-0"
34

Built at Jacksonville
When built 1917

5m.6.14

at to Chief Surveyors

VESSEL'S NAME

Steel Twin Screw Barge "Pacifica" Report Jacksonville No. 5
Received from Chief Surveyors Jacksonville

For the CHIEF SHIP SURVEYOR and CHIEF ENGINEER SURVEYOR.

(In cases which have to be submitted to the Classing Committee "the endorsement to contain a succinct summary of any repairs that have been required and to show the cause or causes of such repairs, and also to bring out clearly any exceptional features in connection with the case so that the Classing Committee may have all the salient points presented in the endorsement."—Extract from Sub-Committee's Report, 24/5/92.)

ature of Survey

When due

A-1 (Steel) Barge. Carrying Molasses in Bulk, for
Coasting Service in Puerto Rico
1.5X (Steel)

F.P.T. 13 C. A.P.T. 12 C

F.K. 5 BH pl. asp. axel. Inely abl.

24.7.7

It is concluded the spacing of the rivets in landing
edges in way of the molasses tanks is as required
by the approved plate ^{5/16"} and that the Surveyors should
state if this is ok.

The approved detail plans should be forwarded
for filing with the 1st eng.



© 2020

Lloyd's Register
Foundation

W1237-0134

Angle, Plate, Tee Bulb, or Channel					
In way of Long Bridge	✓	✓	✓	✓	
Spacing	24	✓	24		
breadth & thickness					
Angles on ditto, No.					