

MASTS, SPARS, &c.										
Material.	Total Length.	DIAMETER AND THICKNESS.				No. of Plates in round.	ANGLES.		RIVETING.	
		At Partners.	Heel.	Hounds.	Head.		Number.	Size.	Seams.	Butts.
<i>Masts only for signalling purposes.</i>										
LOWER MASTS.....	Fore <i>Steel</i> Main Mizzen.....	<i>84' 0"</i> <i>74' 0"</i>	<i>13 x .32</i> <i>13 x .32</i>	<i>13 x .32</i> <i>13 x .32</i>	<i>11 x .28</i> <i>11 x .28</i>	<i>4 x .28</i> <i>4 x .28</i>	<i>Seamless and made for signal purposes only.</i>			
Bowsprit.										
Topmasts, Yards and Remainder of Spars ✓										
Rigging, Material and Size, Shrouds <i>2 x 2 1/2" steel wire</i>										
Sails. <i>Two fore and aft sails</i> Suit of										
Sails, and the following spare sails ✓										

GENERAL REMARKS—(continued).

PARTICULARS FOR RECORD in the REGISTER BOOK.—Length of Poop ☒ ft., R.D. 69.75 ft., Bridge 41.0 ft., Forecastle 11.0 ft. (in feet and tenths). When the Poop is joined to the B.D., this should be distinctly stated *Raised foredeck joined to maindeck.*

No. and Material of Decks (if Iron or Steel) and whether wholly or partially covered with wood, and No. of tiers of Beams (this information is to be given aser cental should appear in the Register Book) *One deck steel and Teak sheathed.*

Official No. _____; Signal Letters _____ State if Machinery is fitted aft *Yes.*

How are the surfaces preserved from oxidation? Inside *Cement and paint* Outside *Paint.*

PARTICULARS OF WATER BALLAST.—State whether the Double bottom is constructed on the cellular system or with girders on floors ☒

Where Fitted.	*Length. Feet.	Water Capacity. Tons.	Where Fitted.	*Length. Feet.	Water Capacity. Tons.
Double bottom, aft,			Fore peak tank,		
Double bottom, under Engines and Boilers,			After peak tank,	11.0	33.0
Double bottom, if under Engines only,			Deep tank, aft, <i>wing tanks each 14 tons</i>	14.7	28.0
Double bottom, if under Boilers only,			Deep tank, forward,	16.5	44.0
Double bottom, forward,			Other tanks, if fitted,		
			(If necessary, furnish further information by sketch.)		
Total capacity of double bottom					

* The wells are not to be included in the lengths of the tanks.

State whether the above have been tested as required by the Rules. *Yes and tight*

Order for Special Survey No. *608*

Date *17-2-1920*

No. *145* in builder's yard.

DATES OF SURVEYS held while building

19/4 - 21/5 - 4/6 - 21-30/7 - 4-23/8 - 2-7-21/9 - 6-15-22/10 - 5-12-25/11 - 8-14-21/12 - 1920; 17-22/1 - 1-24/3 - 2-6/4 - 22-24/6 - 1921.

Surveyor's Signature

Q. W. W. W.

© 2020

Lloyd's Register Foundation

Total No. of Visits *24*