

GENERAL REMARKS—(continued).

PARTICULARS FOR RECORD in the REGISTER BOOK.—Length of Poop _____ ft., R.Q.D. _____ ft., Bridge 120 ft., Forecastle 40 ft.
(in feet and tenths). When the Poop is joined to the B.D., this should be distinctly stated

No. and Material of Decks (if Iron or Steel) and whether wholly or partially covered with wood, and No. of tiers of Beams (this information is to be given as it should appear in the Register Book) 1st Dk (Stl) & Shelter Dk (Stl), 2nd Dk (Stl) in three forward holds & after main hold, 6th Dk to Shelter Dk, 2 to Upper Dk.
Official No. 142495 : Signal Letters _____ State if Machinery is fitted aft no.
How are the surfaces preserved from oxidation? Inside Paint & Portland Cement & Bitumastic Outside Paint.

PARTICULARS OF WATER BALLAST.—State whether the Double bottom is constructed on the cellular system or with girders on floors. Cellular.

Where Fitted.	Length.	Water Capacity.	Where Fitted.	Length.	Water Capacity.
	Feet.	Tons.		Feet.	Tons.
Double bottom, aft,	<u>120</u>	<u>511</u>	Fore peak tank,		<u>91</u>
Double bottom, under Engines and Boilers,	<u>41</u>	<u>213</u>	After peak tank,		<u>120</u>
Double bottom, if under Engines only,			Deep tank, aft,	<u>23.3'</u>	<u>858</u>
Double bottom, if under Boilers only,			Deep tank, forward,		
Double bottom, forward,	<u>182</u>	<u>847</u>	Other tanks, if fitted,		
	Total capacity of double bottom	<u>1571</u>	(If necessary, furnish further information by sketch.)		

* The wells are not to be included in the lengths of the tanks.

State whether the above have been tested as required by the Rules yes.

Order for Special Survey No. 641

Date 18th April 1918

No. 565 in builder's yard.

DATES of Surveys held while building

From 28th May 1919 to 4th March 1920

Surveyor's Signature E. J. Kendall

Total No. of Visits 31

Lloyd's Register Foundation