

11 SEP. 1937

Rpt. 8.

(Received at London Office

No. 103420^a

REPORT of SURVEY for REPAIRS, &c.

Date of writing Report

When handed in at Local Office

Port of

London

EXCLUDED
BOX No. 165

No. in
Reg. Book.

Survey held at

Date, First Survey

Last Survey

19

30443 on the Wood, Iron or Steel

Nagoya Maru

No. of Visits

TONNAGE

Built at

Nagasaki

By whom

Mitsubishi Yosa Kaisha

YEAR

MONTH

GROSS

6050

Owners

Nango Kaisha Ltd.

Owners' Address

When

1932

8

UNDER DECK

5281

Managers

NET

3730

Port belonging to

Fukuoka

Surveyed Afloat or in Dry Dock?

Name of Dock

Destined Voyage

WB=CalldBorDBa

feet; uE&B

feet; f

feet

total capacity

tons. FPT

tons; APT

tons; MT

feet

tons.

N.B.—All alterations in the existing records should be underlined.

If the Vessel has Water Ballast Tanks, state whether the manhole covers have been removed, and the insides of the tanks examined. Also state the amount of deterioration (if any) found in the thicknesses of the floors, framing, girders, and of the inner bottom plating, especially in the boiler space.

Last Report, No.

5857

Port

Yka

(Periodical Surveys, when held, must be reported in detail and serially in the terms of the Rules. State clearly the cause of Repairs, if any, and, in detail, the nature and extent of Examinations and subsequent repairs. Repairs on account of Damage (the cause of which must be stated) should be separated from Repairs due to other causes; and besides being detailed in the body of the report, should be summarised in the form shown below. Whenever the replacement of Anchors or Chains is reported the particulars should be clearly stated in the space provided on the back of this form. State also the dates and initials of any letters respecting this case.

In damage cases where the Surveyor has not made a special damage report he is required to state whether he offered his services for this purpose and to whom and why they were declined

Was a damage report made by anyone else? If so, by whom?

REPAIRS, OR EXAMINATION AS PER RULE, FOR

Particulars of Classification (which must be inserted precisely as in Register Book & Supplements)

CHARACTER.
For Special Survey.
Date of last survey and of
Periodical Surveys.

Year
assigned
expired.

Machinery and Boiler
Surveys.
(including date of N.B., if any)

+ 100 A1
7, 36.

+ LMC
8, 35
AS 7, 36
CL 7, 35

Society's Freeboard (if assigned) as
painted on Ship and now verified

SUMMARY OF DAMAGE REPAIRS:—

	Shell Plates.	Frames.	R. Frames.	Floors and Bracket Floors	Beams.	Inner Bottom Plates.	Dk. Plates.	Other Items:—
Renewed								
Removed and Paired or Repaired								
Paired or Repaired in place								

PRESENT CONDITION OF THE

Decks	State if Tanks have been examined inside	Air and Sounding Pipes	Copper, or Y.M. of Wood Vessels (State if on Felt). When put on, Month Year
Caulking of Decks	State if Tanks now tested	Dblg. Plates under Sounding Pipes	Boats
Coamings	Bulkheads	Engine Room Skylights	Masts, Yards, &c.
Beams & Fastenings	Ceiling	Coal Bunkers, Open'gs, Lids, &c.	Condition, how ascertained (State if wedges removed)
Outside Plating	Cement or Asphalt (State which.)	Oil Bunkers	Sails
" " in way of sidelights	Rudder	Scuppers	Equipment letter
Breasthooks	Steering gear and its connections	Cargo Hatchways	Anchors, No. of
Transoms	Windlass	Hatches	Chain Locker
Frames	Have pumps now been examined and found efficient?	Planking of Wood Vessels	Cables (State if now ranged)
Reverse Frames	Have Sluice Valves now been examined and found efficient?	Caulking ditto	" length (on board) mean diam.
Longitudinals	Have Watertight Doors now been examined and found efficient?	Treenails ditto	" Rule length size
Transverses	Have Ventilators and their Coamings been examined and found efficient?	Breasthooks & Stemson ditto	Hawser & Warps
Floors		Transoms Pointers, & Crutches ditto	Standing and Running Rigging
Keelsons		Timbers of Frame at openings ditto	
Stringers		Ditto Ditto at other places ditto	
Inner Bottom Plating		Stringers, Clamps & Shells ditto	
		Salting (State if examined.) ditto	

General Observations, Opinion as to Class, Recommendation, &c.:—

State clearly whether any and, if so, what alteration is suggested to be made in the existing classification and notification of the vessel in the Register Book consequent upon this survey, thus, for example:—"to remain as now classed in the Register Book without fresh record of Survey," "to remain as classed and to have record of survey, 1,24," or "to remain as classed and to have record of survey, 1,24, and the notations of ss No. 1-24 and ptND24, &c."

Survey Fee (per Section 20)	£	:	:	Fees applied for,
Special Damage or Repair Fee (if any) (per Sec. 20)	£	:	:	19
Travelling Expenses (if chargeable)	£	:	:	Received by me,
Second Surveyor's Fee (if any)	£	:	:	19

Surveyor to Lloyd's Register of Shipping.

Committee's Minute

Character Assigned

FRI 17 SEP 1937

Nitrodrum class

which are used

Kot
Liner

General Committee

Thursday, 23rd September 1937

Decision of Classing

Committee confirmed

Lloyd's Register
Foundation

Is Certificate required? If so, to be sent to

WA368-0041

BY B.—If this Report is copied by Copying Press, especial care must be taken that the copying paper is not so much damped as to spread the ink, or to cause it to show through to the other side.

THE SURVEYORS ARE REQUESTED NOT TO WRITE ACROSS THIS MARGIN.

When Anchors or Cables are supplied, the particulars are to be reported in the following form:—

ANCHORS.

Number of Certificate.	Anchors.*	WEIGHT, EX. STOCK.			WEIGHT OF STOCK.			TEST PER CERTIFICATE.				WEIGHT REQUIRED BY RULE.			Description of Anchor.	Makers.	Where and when tested and Superintendent.
		Cwts.	qrs.	lbs.	Cwts.	qrs.	lbs.	Tons	Cwts.	qrs.	lbs.	Cwts.	qrs.	lbs.			
	1st Bower ...																
	2nd "																
	3rd "																
	Collective Weight.																
	Stream																
	Kedge.....																

If Patent state name of Patentee.
 If Stockless, state Mechanical Tests

* When a bower anchor is supplied it must be clearly stated whether it is a 1st, 2nd, or 3rd bower.

CHAIN CABLES.

[illegible]