

*Westwood*

30191

# FREEBOARD VERIFICATION FORM FOR STEAMERS.

*When received in London Office*

Port \_\_\_\_\_

Vessel's Name S.S. "KOKURYU MARU"

Official No. \_\_\_\_\_ No. in Reg. Book \_\_\_\_\_

Port of Registry (For Foreign Vessels) Dairen

Iron or Steel \_\_\_\_\_ State whether Classed by Lloyd's Register + 100 A 1

Name of Owners \_\_\_\_\_ Date of Verification \_\_\_\_\_

I have to report that the Freeboard from the centre of disc to the top of the statutory deck line, and the lines in connection therewith, as given below, assigned by the Committee to this vessel, have been correctly marked on the vessel's sides, in accordance with the printed instructions:—

From centre of disc to top of statutory deck line	6	ft.	10	ins.
From centre of disc to top of statutory deck line at awning or part-awning deck . . . }	-	ft.	-	ins.
Fresh Water line above centre of disc . . .			6 1/2	ins.
Indian Summer line above centre of disc . . .			6	ins.
Winter line below centre of disc . . . . .			6	ins.
<del>Winter North Atlantic line below centre of disc</del>			-	ins.
Distance between the top of statutory deck line on vessel's side and the intersec- tion of the continuation of upper side of <del>wood or steel deck</del> with the vessel's side	}	at main, spar or upper dk.	1 3/4	ins.
		at awning or pt. awning dk.		ins.

NOTE.—It should be clearly shown whether the statutory deck line is set off from a wood or steel deck.

Maximum Summer Draught corresponding to the freeboard assigned as shown on the Builders' Displacement Scales:—

*Certs to take.*

*WJ*

*18-12-29.*

Surveyor.

(To be filled up in London Office.)

Statement No. 30191 Date of Committee's Minute \_\_\_\_\_

Particulars for Record in Register Book.	{	Moulded Depth . . . . .	ft.	ins.
		Freeboard . . . . .	ft.	ins.
		Corresponding Draught	ft.	ins.

Freeboards compared and found correct by \_\_\_\_\_ Date \_\_\_\_\_

Is fee paid? \_\_\_\_\_ Form for Certificate A (Endorsed as in margin)

Instructions \_\_\_\_\_ Date \_\_\_\_\_

Certificate written 19 DEC 1929 Noted for posting \_\_\_\_\_

*These freeboards are the same as those indicated on the freeboard certificates issued by the Committee of the Society dated 23-9-21.*



© 2021 Lloyd's Register Foundation

W1310 - 0180

54  
3 1/2

mpa  
ral.

- 018

7'  
6'  
6'

7'  
6'  
6'

02"  
5"