

Angles (top and bottom)	2 1/2	2 1/2	6.1	2 1/2	2 1/2	6.1
to Floors						
PLATE, depth (exclusive of flange) }	3 1/2	14.6	18.6	2.8	14.6	18.6

COPY.

N. Yk. Lr. 26.10.17.

-2-

S.S. "S.S. "CHOCTAW", (Chic. No. 15). It is concluded that the "L" strake of plating is of the weight per sw.ft. shown in the approved midship section, and perhaps you will kindly ascertain from the Surveyors that this is so.

Spacing						
Poop Deck, Angle, Bulb Angle, Plate, } Tee Bulb, or Channel	5	3	11.3	5	3	11.3
Angles on upper edge						
Spacing	24			24		
BEAMS, Bridge Deck, Angle, Bulb Angle, Plate }						

Thickness (clear of Bridge)	12.3 1/2
(in way of Bridge)	12.3 1/2
Wood Deck, Material & thickness	15.5
Third Deck Stringer Plate	
Angles on ditto, No.	
Tie Plates outside Hatchways	
Deck * Iron or Steel, No.	
Wood Deck, Material & thickness	
Third Deck Stringer Plate	
Angles on ditto, No.	
Bridge Deck, Stringer Plate, breadth & thickness	12.3
Angle on ditto	3 x 6.1
Tie Plates	1.5 1/2
Deck, Material and thickness	10.5 1/2