

ss of Hatchways 23.97  
 Crown of ) 54.17  
 Room .. )  
 nage 5863.06  
 Space  
 Crown of )

sternpost ..... 385.00  
 Longitudinal Number ..... 304.00  
 Depth "d" at middle of length. See Secs. 2 & 13. .... 16.0

By whom built *Kawasaki Dock*  
 Owners *Kawasaki Kisen Kabushiki Kaisha*  
 Managers

Rpt. 12.

*Copy*

FREEBOARD VERIFICATION FORM FOR STEAMERS.

(When received in London Office)

Port

Vessel's Name *Cape Town Maru*

Official No. No. in Reg. Book

Port of Registry (For Foreign Vessels) *Kobe*

Iron or Steel State whether Classed by Lloyd's Register *Se*

Name of Owners Date of Verification *18.8.19*

I have to report that the Freeboard from the centre of disc to the top of the statutory deck line, and the lines in connection therewith, as given below, assigned by the Committee to this vessel, have been correctly marked on the vessel's sides, in accordance with the printed instructions:—

- From centre of disc to top of statutory deck line ..... ft. .... ins.
- From centre of disc to top of statutory deck line } *9* ft. *3 1/2* ins.  
 at awning ~~or part awning~~ deck . . . }
- Fresh water line above centre of disc . . . . . *7* ins.
- Indian Summer line above centre of disc . . . . . *6 1/2* ins.
- Winter line below centre of disc . . . . . *6 1/2* ins.
- ~~Winter North Atlantic line below centre of disc~~ ..... ins.
- Distance between the top of statutory deck line on vessel's side and the intersection of the continuation of upper side of ~~wood or iron~~ deck with the vessel's side } at main, spar or upper dk. .... ius.  
 } at awning or ~~pt. awning~~ dk. *1 3/4* ins.

NOTE.—It should be clearly shown whether the statutory deck line is set off from a wood or iron deck.

*S<sup>d</sup> A. Watt* Surveyor.

(To be filled up in London Office.)

Statement No. Date of Committee's Minute *14.11.19*

Particulars for Record in Register Book

- Moulded Depth . . . . . *36* ft. *0* ins.
- Freeboard . . . . . *9* ft. *3 1/2* ins.
- Corresponding Draught . . . . . *27* ft. *1* ins.

Freeboards compared and found correct by \_\_\_\_\_ date \_\_\_\_\_

Is fee paid? \_\_\_\_\_ Form for Certificate \_\_\_\_\_

Instructions \_\_\_\_\_ date \_\_\_\_\_

Certificate written \_\_\_\_\_ Noted for posting \_\_\_\_\_


2m, 7, 10.—T.



© 2021

Lloyd's Register Foundation

BEAMS, Poop Deck, Angle, Bulb Angle, Plate, Tee Bulb or Channel



„ Tie Plates  
 „ Deck. Material and thickness  
 Bridge Deck Stringer Plate, br'dth & thickness  
 „ Angle on ditto

ok.)  
 be  
 be  
 ry Dock  
 o. of Decks w  
 o. of Tiers of  
 nd up of Upp  
 k. Beam, Act  
 Inches, Spacing in Ship  
 328 x 18 1/2  
 1/2 x 40  
 5 x 40  
 5 x 70  
 5 x 54  
 5 x 58  
 Inches in Ship  
 No 1 Hold  
 3/2 .58  
 42  
 3/2 F  
 54-42 5  
 5 x 56 4  
 -38  
 46-42 4  
 3/2 46 3  
 1-30  
 34 42 4  
 3/2 46 3  
 4-30