

[illegible][illegible]

GENERAL REMARKS—(continued).

[Handwritten notes and calculations in the upper section of the page, including various numbers and measurements.]

PARTICULARS FOR RECORD in the REGISTER BOOK.—Length of Poop 29.75 ft., R.Q.D. ☒ ft., Bridge 137.25 ft., Forecastle 45.75 ft.
(in feet and tenths). ~~When the Poop is joined to the B.D., this should be distinctly stated.~~

No. and Material of Decks (if Iron or Steel) and whether wholly or partially covered with wood, and No. of tiers of Beams (this information is to be given as it should appear in the Register Book) 2 decks (steel) 2 tiers of Beams

Official No. 26771; Signal Letters S.C.R.G. State if Machinery is fitted aft No.

How are the surfaces preserved from oxidation? Inside 3 coats of paint, Bilges and Double bottom cement Outside 3 coats of paint

PARTICULARS OF WATER BALLAST.—State whether the Double bottom is constructed on the cellular system or with girders on floors Cellular

Where Fitted.	*Length. Feet.	Water Capacity. Tons.	Where Fitted.	*Length. Feet.	Water Capacity. Tons.
Double bottom, aft,	<u>137.25</u>	<u>349.56</u>	Fore peak tank,	<u>20.0</u>	<u>106.39</u>
Double bottom, under Engines and Boilers,	<u>45.0</u>	<u>237.12</u>	After peak tank,	<u>15.0</u>	<u>26.21</u>
Double bottom, if under Engines only,			Deep tank, aft,	<u>27.0</u>	<u>756.29</u>
Double bottom, if under Boilers only,			Deep tank, forward,		
Double bottom, forward,	<u>180.0</u>	<u>510.90</u>	Other tanks, if fitted;		
	Total capacity of double bottom	<u>1097.58</u>	(If necessary, furnish further information by sketch.)		

* The wells are not to be included in the lengths of the tanks.

State whether the above have been tested as required by the Rules yes

Order for Special Survey No.

Date


No. 908 in builder's yard.

DATES OF SURVEYS held while building

20 Jan. 7. 13. 22. 29. Feb. 4. 12. 19. 23. 27. Mar. 4. 7. 15. 22. 29. Apr. 7. 23. 30.
May. 14. 19. 31. June 1. 5. 9. 12. 15. 22. 28. July. 12. 13. 19. 26. 29.

Total No. of Visits 33

Surveyor's Signature



© 2021

Lloyd's Register Foundation